

## LIKHITHA'S DIAGNOSTICS & SPECIALITY LAB

Opp: Lakshmi Children Hospital, Pochamma Temple Lane, Chaitanyapuri, Dilukhnagar Hyderabad-500060 **Revised Price list 2016 - 2017**

| S.No | Test Name                         | Rate | Method                 | Sample  | Schedule             | Reported On         | General Info   |
|------|-----------------------------------|------|------------------------|---------|----------------------|---------------------|--|
| 1    | 17- HYDROXY OH PROGESTERONE       | 700  | R I A                  | Serum   | cut.off 11 am        | 48 hours            |  |
| 2    | 17-KETOSTEROIDS                   | 3200 | Column Chromatography  | Urine   | Sat 11 am            | 5 days              | Add 5ml of 10 % Thymol to the urine container before |
| 3    | 24 HOURS URINE COPPER             | 2000 | atomic absorption      | Urine   | Tue/Sat 11 am        | After 2 days        | Add 5ml of 10 % Thymol to the urine container before |
| 4    | 24 HOURS URINE CORTISOL           | 1500 | C L I A                | Urine   | cut.off 11 am        | 48 hours            | Add 5ml of 10 % Thymol to the urine container before |
| 5    | 24 HOURS URINE FOR ALBUMIN        | 200  | bio-chemical           | Urine   | cut.off 9 pm         | 6 hours             | Add 5ml of 10 % Thymol to the urine container before |
| 6    | 24 HOURS URINE FOR CALCIUM        | 200  | bio-chemical           | Urine   | cut.off 9 pm         | 6 hours             | Add 5ml of 10 % Thymol to the urine container before |
| 7    | 24 HOURS URINE FOR CREATININE     | 200  | bio-chemical           | Urine   | cut.off 9 pm         | 6 hours             | Add 5ml of 10 % Thymol to the urine container before |
| 8    | 24 HOURS URINE FOR MAGNESIUM      | 350  | bio-chemical           | Urine   | Cutoff 9 pm          | 6 Hours             | Add 5ml of 10 % Thymol to the urine container before |
| 9    | 24 HOURS URINE FOR PHOSPHOROUS    | 200  | bio-chemical           | Urine   | cut.off 9 pm         | 6 hours             | Add 5ml of 10 % Thymol to the urine container before |
| 10   | 24 HOURS URINE FOR POTASSIUM      | 200  | bio-chemical           | Urine   | cut.off 9 pm         | 6 hours             | Add 5ml of 10 % Thymol to the urine container before |
| 11   | 24 HOURS URINE FOR UREA           | 200  | bio-chemical           | Urine   | cut.off 9 pm         | 6 hours             | Add 5ml of 10 % Thymol to the urine container before |
| 12   | 24 HOURS URINE FOR URIC ACID      | 200  | bio-chemical           | Urine   | cut.off 9 pm         | 6 hours             | Add 5ml of 10 % Thymol to the urine container before |
| 13   | 2D ECHOCARDIOGRAM                 | 800  |                        |         | On Prior appointment | after completion of | Subject to availability of Cardiologist              |
| 14   | 5-HT (SEROTONIN)                  | 4000 | E I A                  | Serum   | Cut off 10 am        | 13 days             |  |
| 15   | ABSOLUTE EOSINOPHILIC COUNT (AEC) | 140  | Automated Cell Counter | WB-EDTA | cut.off 9 pm         | 6 hours             |  |

|    |  |      |                                   |      |                 |               |          |  |
|----|--|------|-----------------------------------|------|-----------------|---------------|----------|--|
| 16 | ABSOLUTE LYMPHOCYTE COUNT                    | 140  | Automated Cell Counter            | Cell | WB-EDTA         | cut.off 9 pm  | 6 hours  |  |
| 17 | ABSOLUTE MONOCYTE COUNT                      | 140  | Automated Cell Counter            | Cell | WB-EDTA         | cut.off 9 pm  | 6 hours  |  |
| 18 | ABSOLUTE NEUTROPHILIC COUNT ( ANC )          | 140  | Automated Cell Counter            | Cell | WB-EDTA         | cut.off 9 pm  | 6 hours  |  |
| 19 | ACETAMINOPHEN (PARACETAMOL)                  | 1300 | Biochemical                       |      | Serum           | Cut off 10 am | 6 days   |  |
| 20 | ACETYL CHOLINE RECEPTOR ANTIBODY (ACHR)      | 4000 | R I A                             |      | Serum           | Cut off 10 am | 3 days   |  |
| 21 | ACID FAST SUSPECTIBILITY ( 10 DRUG )         | 6500 | Automated Versatrek               |      | PURE GROWTH     | Cut off 10 am | 4 weeks  |  |
| 22 | ACID FAST SUSPECTIBILITY ( 5 DRUG )          | 3500 | Automated Versatrek               |      | PURE GROWTH     | Cut off 10 am | 4 weeks  |  |
| 23 | ACID PHOSPHATASE - TOTAL                     | 250  | Biochemical                       |      | Serum           | Cut off 9 Pm  | 6 HOURS  |  |
| 24 | ACTIVATED PARTIAL THROMBOPLASTIN TIME (APTT) | 450  | Electromechanical clott Detection |      | Citrated Plasma | Cut off 9 Pm  | 6 hours  |  |
| 25 | Activated Protien C-Resistance (APCR)        | 4400 | Automated Coagulation             |      | Citrated Plasma | Tue/Sat 11 am | 3 days   |  |
| 26 | ADENOSINE DEAMINASE (ADA) FLUID              | 400  | bio-chemical                      |      | Aspirated fluid | cut off 9 pm  | 6 hours  |  |
| 27 | ADENOSINE DEAMINASE (ADA) SERUM              | 400  | bio-chemical                      |      | Serum           | cut off 9 pm  | 6 hours  |  |
| 28 | ADRENO CORTICOTROPHIC HORMONE (ACTH)         | 1600 | C L I A                           |      | WB-EDTA         | Cut off 10 am | 48 hours |  |
| 29 | AEROBIC (ROUTINE) BACTERIAL CULTURE          | 300  | Micro-Biology                     |      | Any Fluid/sputu | cut off 9 pm  | 48 hours |  |
| 32 | AFB SMEAR                                    | 175  | Microscopy                        |      | Any Fluid/sputu | Cut off 5 pm  | 6 hours  |  |
| 33 | ALANINE TRANSMINASE (ALT/SGPT)               | 140  | bio-chemical                      |      | Serum           | cut.off 9 pm  | 6 hours  |  |
| 34 | ALBERT STAIN / SMEAR FOR DIPHTHERIA          | 200  | Microscopy                        |      | Throat Swab     | cut.off 5 pm  | 6 hours  |  |

|    |   |      |                           |                     |                    |               |  |
|----|---|------|---------------------------|---------------------|--------------------|---------------|--|
| 35 | ALBUMIN   | 120  | bio-chemical              | Serum               | cut.off 9 pm       | 6 hours       |  |
| 36 | ALBUMIN - FLUID                                   | 120  | BIOCHEMICAL               | FLUID               | cut.off 9 pm       | AFTER 6 HOURS |  |
| 37 | ALCOHOL   | 1200 | Biochemical               | serum               | Cut off 10 am      | 72 hrs        |  |
| 38 | ALDOLASE  | 1200 | Biochemical               | Serum               | Cut off 10 am      | 48 hours      |  |
| 39 | ALDOSTERONE                                       | 2500 | R I A                     | Serum               | Thur 11 am         | after 2 days  |  |
| 40 | ALFA ANTI TRYPSIN                                 | 2200 | Nephelometry              | Serum               | Cut off 10 am      | 48 hours      |  |
| 41 | ALKALINE PHOSPHATASE (ALP)                        | 160  | bio-chemical              | Serum               | Cut off 9 pm       | 6 hours       |  |
| 42 | ALLERGEN - ASPERGILLUS FUMIGATUS                  | 1500 | ImmunoCAP Specific IgE    | SERUM               | 5                  | 48 hrs        |  |
| 43 | ALLERGIC PROFILE - FOOD                           | 2500 | IMMUNOBLOT                | SERUM               | Cut off 10 am      | Same day 5 pm |  |
| 44 | ALLERGIC PROFILE ENVIRONMENT                      | 2500 | IMMUNOBLOT                | serum               | Cut off 10 am      | Same day 5 pm |  |
| 45 | ALPHA FETO PROTEIN (AFP)                          | 600  | bio-chemical              | Serum               | Cut off 9 pm       | 6 hours       |  |
| 46 | ALUMINIUM   | 2250 | Auomic Absorption         | Serum               | Tue / Thur 11 am   | after 2 days  |  |
| 47 | AMINO ACID SCREEN -QUALITATIVE                    | 2500 | Thin layer Chromotography | Serum               | Tue/Thur/sat 11 am | after 3 days  |  |
| 48 | AMINO ACID SCREEN -QUALITATIVE (URINE)            | 2500 | Thin layer Chromotography | Urine               | Tue/Thur/sat 11 am | After 3 days  |  |
| 49 | AMINO LEVULINIC ACID (QUALITATIVE) URINE 24 HOURS | 2500 | Column Chromatography     | Urine               | Wed 11 am          | after 3 days  | Add 5ml of 10 % Thymol to the urine container before |
| 50 | AMINO LEVULINIC ACID (QUALITATIVE) URINE SPOT     | 2500 | Column Chromatography     | Spot Urine          | Wed 11 am          | After 8 days  |  |
| 51 | AMMONIA   | 800  | bio-chemical              | EDTA/Heparin plasma | cut.off 9 pm       | 6 hours       | Separate Plasma immediately                          |

|    |  |      |              |         |                    |               |  |
|----|--|------|--------------|---------|--------------------|---------------|--|
| 52 | AMYLASE                                    | 300  | bio-chemical | Serum   | Cut off 9 pm       | 6 hours       |  |
| 53 | AMYLASE - FLUID                            | 300  | BIOCHEMIACAL | FLUID   | Cut off 9 pm       | 6 HOURS       |  |
| 54 | ANA PROFILE                                | 3000 | IMMUNOBLOT   | SERUM   | Cut off 10 am      | Same day 5 pm |  |
| 55 | ANCA - MYELOPEROXIDASE (P-ANCA)            | 1200 | E I A        | Serum   | Cut off 10 am      | Same day 5 pm |  |
| 56 | ANCA - SERINE PROTEINASE (C-ANCA)          | 1200 | E I A        | Serum   | Cut off 10 am      | Same day 5 pm |  |
| 57 | ANCA (IFA)                                 | 2000 | IFA METHOD   | SERUM   | Cut off 10 am      | AFTER 48 HRS  |  |
| 58 | ANDROSTEINDIONE (A4)                       | 1500 | E I A        | Serum   | cut.off 11 am      | 48 hours      |  |
| 59 | ANGIOTENSION CONVERTING ENZYME(ACE)        | 1200 | Biochemical  | Serum   | cut.off 9 pm       | 6 hours       |  |
| 60 | ANTI CENTROMERE ANTI BODY                  | 1800 | E I A        | Serum   | wed 11 am          | 48 hours      |  |
| 61 | ANTI CYCLIC CITRULLINATED PEPTIDE ANTIBODY | 1200 | E I A        | Serum   | Cut off 10 am      | Same day 5 pm |  |
| 62 | ANTI CYSTICERCOSIS ANTI BODY - IGG         | 1500 | E I A        | Serum   | Sat 11 am          | after 3 days  |  |
| 63 | ANTI DIURETIC HORMONE (ADH)                | 4000 | R I A        | WB-EDTA | Sat 11 am          | 6 days        |  |
| 64 | ANTI ds DNA ANTI BODY                      | 600  | E I A        | Serum   | Cut off 10 am      | Same day 5 pm |  |
| 65 | ANTI ds DNA(IFA METHOD)                    | 1800 | IFA          | Serum   | Cut off 10 am      | 72 hours      |  |
| 66 | ANTI ENDOMYSIAL ANTI BODY                  | 2500 | IFA          | Serum   | Tue/thur/sat 11 am | After 3 days  |  |
| 67 | ANTI GLIADIN ANTIBODY - IgA                | 2200 | E I A        | Serum   | Wed 11 am          | after 2 days  |  |
| 68 | ANTI GLIADIN ANTIBODY - IgG                | 2200 | E I A        | Serum   | Wed 11 am          | after 2 days  |  |

|    |   |       |            |       |                    |               |  |
|----|---|-------|------------|-------|--------------------|---------------|--|
| 69 | ANTI GLOMERULAR BASEMENT MEBRANE (GBM) ANTIBODY | 2000  | E I A      | Serum | Tue/thur/sat 11 am | after 2 days  |  |
| 70 | ANTI JO - 1                                     | 1800  | E I A      | Serum | Wed 11 am          | after 2 days  |  |
| 71 | ANTI LKM ANTIBODY                               | 2500  | IFA        | Serum | Tue/thur/sat 11 am | after 2 days  |  |
| 72 | ANTI MITOCHONDIRAL AB (IFA)                     | 2000  | IFA        | Serum | Tue/thur/sat 11 am | after 2 days  |  |
| 73 | ANTI MULARIAN HARMONE (AMH)                     | 2000  | E I A      | Serum | Cut off 10 am      | Same day 5 pm |  |
| 74 | ANTI NEURONAL ANTI BODY PROFILE                 | 11500 | IMMUNOBLOT | SERUM | Sat 11 am          | after 3 days  |  |
| 75 | ANTI NMO ANTIBODIES                             | 4000  | IFA        | Serum | Mon 11 am          | after 3 days  |  |
| 76 | ANTI NUCLEAR ANTI BODY(ANA)                     | 500   | E I A      | Serum | Cut off 10 am      | Same day 5 pm |  |
| 77 | ANTI NUCLEAR ANTIBODY(IFA METHOD)               | 900   | IFA        | Serum | Cut off 10 am      | Next day 5 pm |  |
| 78 | ANTI PARIETAL CELL ANTIBODY                     | 2500  | IFA        | Serum | Tue/thur/sat 11 am | after 2 days  |  |
| 79 | ANTI PHOSPHOLIPID ANTIBODY IgA                  | 500   | E I A      | Serum | Cut off 10 am      | Same day 5 pm |  |
| 80 | ANTI PHOSPHOLIPID ANTIBODY IgG                  | 500   | E I A      | Serum | Cut off 10 am      | Same day 5 pm |  |
| 81 | ANTI PHOSPHOLIPID ANTIBODY IgM                  | 500   | E I A      | Serum | Cut off 10 am      | Same day 5 pm |  |
| 82 | ANTI PHOSPOLIPID PACKAGE                        | 1500  | E I A      | Serum | Cut off 10 am      | Same day 5 pm |  |
| 83 | ANTI R N P                                      | 1800  | E I A      | Serum | Mon / Thurs 11 am  | after 3 days  |  |
| 84 | ANTI RABIES ANTI BODIES                         | 3000  | E I A      | Serum | Sat 11 am          | after 6 days  |  |
| 85 | ANTI S S A (RO) Ab                              | 1800  | E I A      | Serum | Mon / Thurs 11 am  | after 3 days  |  |

|     |   |      |                     |                 |                    |               |  |
|-----|---|------|---------------------|-----------------|--------------------|---------------|--|
| 86  | ANTI S S B (La) Ab                                | 1800 | E I A               | Serum           | Mon / Thurs 11 am  | after 3 days  |  |
| 87  | ANTI SACCHAROMYCES CEREVISIAE (ASCA) IGA ANTIBODY | 2500 | E I A               | Serum           | Wed 11 am          | after 3 days  |  |
| 88  | ANTI SACCHAROMYCES CEREVISIAE (ASCA) IGG ANTIBODY | 2500 | E I A               | Serum           | Wed 11 am          | after 3 days  |  |
| 89  | ANTI SCL-70 ANTIBODIES                            | 1800 | E I A               | Serum           | Wed 11 am          | after 3 days  |  |
| 90  | ANTI SM-ANTI BODY                                 | 1800 | E I A               | Serum           | Wed 11 am          | after 3 days  |  |
| 91  | ANTI SMOOTH MUSCLE Ab                             | 2500 | IFA                 | Serum           | Tue/thur/sat 11 am | after 3 days  |  |
| 92  | ANTI SPERM ANTIBODY                               | 1500 | E I A               | Serum           | Tue 11 AM          | after 2 days  |  |
| 93  | ANTI THROMBIN -III                                | 3500 | Chromogenic Assay   | Citrated Plasma | Wed 11 am          | after 3 days  |  |
| 94  | ANTI THYROGLOBULIN Ab                             | 600  | C L I A             | Serum           | cut.off 9 pm       | 6 hours       |  |
| 95  | ANTI TPO ANTIBODY (ANTI MICROSOMAL Ab)            | 600  | C L I A             | Serum           | cut.off 9 pm       | 6 hours       |  |
| 96  | APOLIPOPROTEIN-B (APO-B)                          | 500  | Nephelometry        | Serum           | cut.off 11 am      | 48 hours      |  |
| 97  | APOLIPOPRTIEN-A1 (APO-A1)                         | 500  | Nephelometry        | Serum           | cut.off 11 am      | 48 hours      |  |
| 98  | APTS TEST   | 200  | Biochemical         | WB EDTA         | Cut off 5 pm       | Same day 5 pm |  |
| 99  | ASCITIC FLUID FOR BIO-CHEMICAL ANALYSIS           | 250  | bio-chemical        | Ascitic fluid   | Cut off 9 pm       | 6 hours       |  |
| 100 | ASCITIC FLUID FOR CELL COUNT                      | 150  | microscopy          | Asitic fluid    | Cut off 6 pm       | 6 hours       |  |
| 101 | ASO TITRE - FLUID                                 | 250  | IMMUNOTURBIDOMETRY  | FLUID           | Cut off 9 pm       | 6 HOURS       |  |
| 102 | ASO TITRES (ANTI STREPTOLYSIN O)                  | 250  | Immunoturibidometry | Serum           | Cut off 9 pm       | 6 hours       |  |

|     |   |      |                        |            |                      |              |  |
|-----|---|------|------------------------|------------|----------------------|--------------|--|
| 103 | ASO TITRES .- QUALITATIVE                           | 250  | LATEX<br>AGGULITNATIO  | SERUM      | Cut off 9 pm         | 6 HOURS      |  |
| 104 | ASPARTATE TRANSFERASE (SGOT / AST)                  | 140  | bio-chemical           | Serum      | Cut off 9 pm         | 6 hours      |  |
| 105 | ASPERGILLUS IgG                                     | 2500 | E I A                  | Serum      | Tue 11 am            | after 2 days |  |
| 106 | ASPERGILLUS IgM                                     | 2500 | E I A                  | Serum      | Tue 11 AM            | after 2 days |  |
| 107 | BACTERIAL MENINGITIS SCREEN                         | 3500 | Later<br>Agglutination | CSF        | Cut off 10 am        | 48 hours     |  |
| 108 | BARBITURATES  | 2100 | Biochemical            | Spot Urine | Cut off 10 am        | 48 hours     |  |
| 109 | BARIUM ENEMA  | 1200 |                        |            | PRIOR<br>Appointmnet |              |  |
| 110 | BARIUM MEAL FOLLOW THROUGH                          | 1400 |                        |            | PRIOR<br>Appointmnet |              |  |
| 111 | BARIUM MEAL SERIES                                  | 1400 |                        |            | PRIOR<br>Appointmnet |              |  |
| 112 | BARIUM SWALLOW                                      | 1000 |                        |            | PRIOR<br>Appointmnet |              |  |
| 113 | BCR ABL QUALITATIVE TRANSLOCATION -<br>BONE MARROW  | 6000 | PCR                    | WB-EDTA    | Wed 11 am            | After 5 days | Transfer Bone marrow<br>aspiration into EDTA |
| 114 | BCR ABL QUANTITATIVE<br>TRANSLOCATION - WHOLE BLOOD | 6000 | PCR                    | WB-EDTA    | Wed 11 am            | After 5 days |  |
| 115 | BENCE JONES PROTIENS (BJ PROTIEN)                   | 300  | bio-chemical           | Spot Urine | Cut off 6 pm         | 6 hours      |  |
| 116 | BENZODIAZEPINE - Serum                              | 2500 | Biochemical            | Serum      | cut.off 11 am        | 48 hrs       |  |
| 117 | BENZODIAZEPINE - URINE                              | 2500 | Biochemical            | Spot Urine | cut.off 11 am        | 48 hrs       |  |
| 118 | BENZODIAZIPINE(FLUID)                               | 2500 | Biochemical            | Fluid      | Cut off 10 am        | 24 hours     |  |
| 119 | BETA 2 MICROGLOBULIN                                | 1700 | C L I A                | Serum      | cut.off 11 am        | 48 hrs       |  |

|     |  |      |                |                 |               |               |                                     |
|-----|--|------|----------------|-----------------|---------------|---------------|-------------------------------------|
| 120 | BETA 2 TRASFERRIN - CARBOHYDRATE RESISTANT | 5400 | IMMUNOFIXATION | FLUID & SERUM   | Cut off 10 am | 7 days        |                                     |
| 121 | BETA -2-GLYCOPROTEIN I-IgG (PHOSPOLIPID)   | 1500 | E I A          | Serum           | Cut off 10 am | Same day 5 pm |                                     |
| 122 | BETA -2-GLYCOPROTEIN I-IGM (PHOSPOLIPID)   | 1500 | E I A          | Serum           | Cut off 10 am | Same day 5 pm |                                     |
| 123 | BETA HUMAN CHROIONIC GONDOTROPIN           | 500  | C L I A        | Serum           | cut.off 9 pm  | 6 hours       |                                     |
| 124 | BICARBONATES                               | 500  | Biochemical    | Serum           | cut.off 9 pm  | 6 hours       |                                     |
| 125 | BILE SALTS & BILE PIGMENTS (BSBP)          | 60   | strip/manual   | Spot Urine      | Cut off 9 pm  | 6 hours       |                                     |
| 126 | BILIRUBIN (TOTAL & DIRECT)                 | 140  | bio-chemical   | Serum           | Cut off 9 pm  | 6 hours       |                                     |
| 127 | BIOPSY (EXTRA LARGE SPECIMENS)             | 1200 | Microscopy     | Tissue          | Cut off 9 pm  | 7 days        | Detailed Clinical history mandatory |
| 128 | BIOPSY (LARGE SPECIMENS)                   | 800  | Microscopy     | Tissue          | Cut off 9 pm  | 6 days        | Detailed Clinical history mandatory |
| 129 | BIOPSY (MEDIUM SPECIMENS)                  | 600  | Microscopy     | Tissue          | Cut off 9 pm  | 5 days        | Detailed Clinical history mandatory |
| 130 | BIOPSY (SMALL SPECIMENS)                   | 500  | Microscopy     | Tissue          | cut off 9 pm  | 4 days        | Detailed Clinical history mandatory |
| 131 | BIOTINIDASE                                | 4200 | BIOCHEMICAL    | SERUM           | Cut off 10 am | 48 hrs        |                                     |
| 132 | BLEEDING TIME & CLOTTING TIME (BT&CT)      | 100  | IVY            |                 | Cut off 9 pm  | 1 hour        | for walk in patients only           |
| 133 | BLEEDING TIME (BT)                         | 50   |                |                 | Cut off 9 pm  | 1 hour        | for walk in patients only           |
| 134 | BLOOD GROUPING AND Rh TYPING               | 80   | Slide/Tube     | WB-EDTA / SERUM | Cut off 9 pm  | 6 hours       |                                     |
| 135 | Blood culture Automated                    | 800  |                |                 |               |               |                                     |
| 136 | BLOOD UREA NITROGEN                        | 130  | bio-chemical   | Serum           | Cut off 9 pm  | 6 hours       |                                     |

|     |  |      |               |                |                      |               |  |
|-----|--|------|---------------|----------------|----------------------|---------------|--|
| 137 | BONE MARROW EXAMINATION (PROCEDURE + CYTOLOGY) | 900  | microscopy    | Aspirate       | On Prior appointment | Next day 5 pm | Clinical details is mandatory                        |
| 138 | BRONCHIAL BRUSHING FOR CYTOLOGY                | 500  | microscopy    | BRONCHIAL      | Cut off 9 pm         | Next day 5 pm | Clinical details is mandatory                        |
| 139 | BRONCHIAL WASHING FOR CYTOLOGY                 | 500  | microscopy    | BRONCHIAL      | Cut off 9 pm         | Next day 5 pm | Clinical details is mandatory                        |
| 140 | BRUCELLA AGGLUTINATION                         | 500  | Agglutination | Serum          | Cut off 10 am        | Same day 5 pm |  |
| 141 | BRUCELLA IgG                                   | 800  | E I A         | Serum          | Cut off 10 am        | Same day 5 pm |  |
| 142 | BRUCELLA IgM                                   | 800  | E I A         | Serum          | Cut off 10 am        | Same day 5 pm |  |
| 143 | C E A  | 600  | C L I A       | Serum          | Cut off 10 am        | 6 hours       |  |
| 144 | C1 ESTERASE INHIBITOR                          | 3500 | Nephelometry  | Serum          | Mon 11 am            | after 3 days  |  |
| 145 | CA 19.9  | 800  | C L I A       | Serum          | cut.off 9 pm         | 6 hours       |  |
| 146 | CA-125   | 600  | C L I A       | Serum          | Cut off 9 pm         | 6 hours       |  |
| 147 | CA-15.3  | 1150 | C L I A       | Serum          | cut.off 11 am        | 48 hours      |  |
| 148 | CALCITONIN                                     | 2200 | C L I A       | Serum          | Wed/sat 11 am        | after 2 days  |  |
| 149 | CALCIUM  | 140  | bio-chemical  | Serum          | Cut off 9 pm         | 6 hours       |  |
| 150 | CALCIUM CREATININE CLEARANCE                   | 500  | BIOCHEMICAL   | 24 HRS URINE / | Cut off 9 pm         | 6 HOURS       | Add 5ml of 10 % Thymol to the urine container before |
| 151 | CARBAMEZAPINE (TEGRETOL)                       | 600  | C L I A       | Serum          | cut.off 11 am        | 48 hours      |  |
| 152 | CARDIOLIPIN ANTIBODIES PACKAGE                 | 1500 | E I A         | Serum          | Cut off 10 am        | Same day 5 pm |  |
| 153 | CARDIOLIPIN IgA ANTIBODY                       | 500  | E I A         | Serum          | Cut off 10 am        | Same day 5 pm |  |

|     |                                |      |                        |                 |                      |                     |  |
|-----|--------------------------------|------|------------------------|-----------------|----------------------|---------------------|--|
| 154 | CARDIOLIPIN IgG ANTIBODY       | 500  | E I A                  | Serum           | Cut off 10 am        | Same day 5 pm       |  |
| 155 | CARDIOLIPIN IgM ANTIBODY       | 500  | E I A                  | Serum           | Cut off 10 am        | Same day 5 pm       |  |
| 156 | CARDIOLOGY CONSULTATION        | 250  |                        |                 | On Prior appointment | after completion of | Subject to availability of Cardiologist              |
| 157 | CATECHOLAMINES - 24HOURS URINE | 4500 | E I A                  | Urine           | Mon 11 am            | 3 days              | Add 5ml of 10 % Thymol to the urine container before |
| 158 | CATECHOLAMINES - PLASMA        | 5500 | E I A                  | WB-EDTA         | Mon 11 am            | 3 days              |  |
| 159 | CD4 ABSOLUTE COUNT             | 900  | Fixed volume cytometry | WB-EDTA         | Cut off 10 am        | Same day 5 pm       |  |
| 160 | CD8 ABSOLUTE COUNT             | 900  | Fixed volume cytometry | WB-EDTA         | Cut off 10 am        | Same day 5 pm       |  |
| 161 | CELL BLOCK                     | 600  | Microscopy             | Aspirated fluid | cut off 9 pm         | After 4 days        |  |
| 162 | CERULOPLASMIN                  | 1000 | bio-chemical           | Serum           | cut.off 9 pm         | 6 hours             |  |
| 163 | CH-50 (COMPLEMENT TOTAL)       | 2400 | EIA                    | SERUM           | Wed 11 am            | after 3 days        |  |
| 164 | CHIKUNGUNIYA SEROLOGY          | 1000 | IMMUNOCHROMATOGRAPHY   | SERUM           | Cut off 10 am        | Same day 5 pm       |  |
| 165 | CHLAMYDIA PNEUMONIAE - IgG     | 2500 | E I A                  | Serum           | Tue 11 AM            | after 3 days        |  |
| 166 | CHLAMYDIA PNEUMONIAE - IgM     | 2500 | E I A                  | Serum           | Tue 11 AM            | after 3 days        |  |
| 167 | CHLAMYDIA TRACHOMATIS IgG      | 1000 | E I A                  | Serum           | Mon/Wed/Sat 11 am    | after 2 days        |  |
| 168 | CHLAMYDIA TRACHOMATIS IgM      | 1100 | E I A                  | Serum           | Mon/Wed/Sat 11 am    | after 2 days        |  |
| 169 | CHLORIDE SERUM                 | 140  | ISE                    | Serum           | Cut off 9 pm         | 6 hours             |  |
| 170 | CHLORIDE URINE                 | 140  | ISE                    | Urine           | Cut off 9 pm         | 6 hours             |  |

|     |   |      |                        |         |               |               |                   |
|-----|---|------|------------------------|---------|---------------|---------------|-------------------|
| 171 | CHLORIDE-FLUID                          | 140  | ISE                    | FLUID   | Cut off 9 pm  | 6 hours       |                   |
| 172 | CHOLESTEROL - FLUID                     | 200  | BIOCHEMICAL            | FLUID   | Cut off 9 pm  | 6 HOURS       |                   |
| 173 | CHOLESTEROL-HDL                         | 200  | bio-chemical           | Serum   | Cut off 9 pm  | 6 hours       | 10-12 hrs fasting |
| 174 | CHOLESTEROL-LDL                         | 250  | bio-chemical           | Serum   | Cut off 9 pm  | 6 hours       | 10-12 hrs fasting |
| 175 | CHOLESTEROL-TOTAL                       | 200  | bio-chemical           | Serum   | Cut off 9 pm  | 6 hours       | 10-12 hrs fasting |
| 176 | CHOLESTEROL-VLDL                        | 175  | bio-chemical           | Serum   | Cut off 9 pm  | 6 hours       | 10-12 hrs fasting |
| 177 | CHOLINESTERASE                          | 800  | bio-chemical           | Serum   | Cut off 9 pm  | 6 hours       |                   |
| 178 | CHROMOGRANIN-A                          | 6500 | E I A                  | WB-EDTA | Mon 11 am     | after 3 days  |                   |
| 179 | CHYLE / CHYLURIA                        | 250  | manual                 | Urine   | cut.off 9 pm  | 6 hours       |                   |
| 180 | CIRCULATING IMMUNE COMPLEX (CIC)        | 3000 | E I A                  | Serum   | Cut off 10 am | 2 weeks       |                   |
| 181 | CLOSTRIDIUM DIFFICILE TOXIN A/B (STOOL) | 2300 | E L F A                | Stool   | cut.off 11 am | 48 hrs        |                   |
| 182 | CLOTTING TIME (CT)                      | 50   | Cappillary method      |         | cut.off 9 pm  | 1 hour        |                   |
| 183 | COLD AGGLUTININS                        | 650  | Agglutination          | Serum   | Cut off 5 pm  | Next day 5 pm |                   |
| 184 | COMPLEMENT 3 (C3)                       | 400  | Immunoturibido metry   | Serum   | cut.off 9 pm  | 6 hours       |                   |
| 185 | COMPLEMENT 4 (C4)                       | 400  | Immunoturibido metry   | Serum   | cut.off 9 pm  | 6 hours       |                   |
| 186 | COMPLEMENT C3 / C4                      | 800  | Immunoturibido metry   | Serum   | cut.off 9 pm  | 6 hours       |                   |
| 187 | COMPLETE BLOOD PICTURE (CBP)            | 220  | cell counter/microscop | wb-EDTA | CUT OFF 8 PM  | 6 hours       |                   |

|     |   |      |                     |             |               |          |  |
|-----|---|------|---------------------|-------------|---------------|----------|--|
| 188 | COMPLETE STOOL EXAMINATION (CSE)        | 100  | microscopy          | Stool       | cut.off 9 pm  | 6 hours  |  |
| 189 | COMPLETE URINE EXAMINATION (CUE & BSBP) | 100  | strip/microscopy    | Urine       | cut.off 9 pm  | 6 hours  |  |
| 190 | COOMBS TEST (DIRECT)                    | 200  | manual              | WB-EDTA     | cut.off 9 pm  | 6 hours  |  |
| 191 | COOMBS TEST (INDIRECT)                  | 200  | manual              | Serum       | cut.off 9 pm  | 6 hours  |  |
| 192 | COPPER                                  | 800  | bio-chemical        | Serum       | cut.off 9 pm  | 6 hours  |  |
| 193 | CORTISOL EVENING                        | 500  | C L I A             | Serum       | cut.off 9 pm  | 6 hours  | Evening - 3 - 5 pm, Specify Timing                   |
| 194 | CORTISOL MORNING                        | 500  | C L I A             | Serum       | cut.off 9 pm  | 6 hours  | Morning - 7 - 9am, Specify timing                    |
| 195 | C-PEPTIDE                               | 1150 | C L I A             | Serum       | Cut off 9 pm  | 6 hours  |  |
| 196 | C-REACTIVE PROTEIN (CRP)                | 350  | Immunoturibidometry | Serum       | Cut off 9 pm  | 6 hours  |  |
| 197 | CREATINE KINASE MB (CPK-MB)             | 375  | bio-chemical        | Serum       | Cut off 9 pm  | 6 hours  |  |
| 198 | CREATININE CLEARANCE TEST               | 500  | bio-chemical        | Serum/Urine | Cut off 9 pm  | 6 hours  | Add 5ml of 10 % Thymol to the urine container before |
| 199 | CREATININE KINASE (CPK)                 | 300  | bio-chemical        | Serum       | Cut off 9 pm  | 6 hours  |  |
| 200 | CREATININE SERUM                        | 140  | bio-chemical        | Serum       | Cut off 9 pm  | 6 hours  |  |
| 201 | CREATININE URINE                        | 140  | bio-chemical        | Spot Urine  | Cut off 9 pm  | 6 hours  |  |
| 202 | Cryoglobins (Qualitative)               | 1000 | NA                  | Serum       | Cut off 10 am | 48 hrs   |  |
| 203 | CRYPTOCOCCAL ANTIGEN                    | 2500 | Agglutination       | CSF         | Cut off 10 am | 48 hours |  |
| 204 | CSF FOR BIO-CHEMICAL ANALYSIS           | 250  | bio-chemical        | CSF Fluid   | Cut off 9 pm  | 6 hours  |  |

|     |  |      |                            |                  |                 |               |                               |
|-----|--|------|----------------------------|------------------|-----------------|---------------|-------------------------------|
| 205 | CSF FOR CELL COUNT                       | 220  | microscopy                 | CSF              | CUT OFF 8 PM    | 6 hours       |                               |
| 206 | CSF FOR CULTURE & SENSITIVITY            | 350  | Microbiology               | CSF              | cut.off 9 pm    | 48 hours      |                               |
| 207 | CSF OLIGOCLONAL BAND                     | 4400 | Agrose Gel Electrophoresis | CSF              | Tue / Fri 11 am | Same day 5 pm |                               |
| 208 | CSF PANDYS                               | 175  | bio-chemical               | CSF Fluid        | cut.off 9 pm    | 6 hours       |                               |
| 209 | CYCLOSPORINE -A                          | 2500 | F P I A                    | WB-EDTA          | cut.off 11 am   | after 2 days  |                               |
| 210 | CYSTATIN- C                              | 1800 | Nephelometry               | Serum            | Cut off 10 am   | 48 hours      |                               |
| 212 | CYTOLOGY (REPORTING)                     | 500  | microscopy                 | Fluid/PAP/Slides | Cut off 9 pm    | Next day 5 pm | Clinical details is mandatory |
| 213 | CYTOMEGALOVIRUS IgG ANTIBODY (CMV-IgG)   | 300  | E I A                      | Serum            | Cut off 10 am   | Same day 5 pm |                               |
| 214 | CYTOMEGALOVIRUS IgM ANTIBODY (CMV-IgM)   | 300  | E I A                      | Serum            | Cut off 10 am   | Same day 5 pm |                               |
| 215 | D H E A                                  | 3000 | E I A                      | Serum            | Tue 11 AM       | after 2 days  |                               |
| 216 | D-DIMER                                  | 800  | Immunometric flowthrough   | Whole Blood      | cut.off 9 pm    | 6 hours       |                               |
| 217 | DEHYDROEPIANDROSTERONE SULPHATE (DHEA-S) | 550  | E C L I A                  | Serum            | cut.off 9 pm    | 6 hours       |                               |
| 218 | DENGUE - IgG                             | 600  | E I A                      | Serum            | Cut off 10 am   | Same day 5 pm |                               |
| 219 | DENGUE - IgM                             | 600  | E I A                      | Serum            | Cut off 10 am   | Same day 5 pm |                               |
| 220 | DENGUE - RNA DETECTOR                    | 4200 | PCR                        | wb-EDTA          | Cut off 10 am   | After 5 days  |                               |
| 221 | DENGUE NS ANTIGEN                        | 1200 | E I A                      | Serum            | Cut off 10 am   | Same day 5 pm |                               |
| 222 | DESMOGLEIN I ANTIBODY                    | 2700 | E I A                      | SERUM            | SAT 11 AM       | after 3 days  |                               |

|     |   |      |                        |         |                 |              |                        |
|-----|---|------|------------------------|---------|-----------------|--------------|------------------------|
| 223 | DESMOGLEIN III ANTIBODY                       | 2700 | E I A                  | SERUM   | SAT 11 AM       | after 3 days |                        |
| 224 | DI HYDRO TESTOSTERONE                         | 2500 | E I A                  | Serum   | Wed / Sat 11 am | after 2 days |                        |
| 225 | DIFFERENTIAL COUNT (DC)                       | 100  | cell counter/microscop | WB-EDTA | Cut off 9 pm    | 6 hours      |                        |
| 226 | DIGOXIN                                       | 1200 | C L I A                | Serum   | Cut off 10 am   | 48 hours     |                        |
| 227 | DOPPLER RENAL                                 | 1200 |                        |         |                 |              | Fasting status is must |
| 228 | DOPPLER SCROTAL                               | 1200 |                        |         | 0               |              |                        |
| 229 | DOPPLER ABDOMEN                               | 1200 |                        |         |                 |              |                        |
| 230 | DOPPLER CAROTID                               | 1200 |                        |         |                 |              |                        |
| 231 | DOPPLER LOWER LIMB (BOTH) ARTERIAL            | 2200 |                        |         |                 |              |                        |
| 232 | DOPPLER LOWER LIMB (BOTH) ATERIAL & VENOUS    | 4400 |                        |         |                 |              |                        |
| 233 | DOPPLER LOWER LIMB (BOTH) VENOUS              | 2200 |                        |         |                 |              |                        |
| 234 | DOPPLER LOWER LIMB (SINGLE ) VENOUS           | 1100 |                        |         |                 |              |                        |
| 235 | DOPPLER LOWER LIMB (SINGLE) ARTERIAL          | 1100 |                        |         |                 |              |                        |
| 236 | DOPPLER LOWER LIMB (SINGLE) ARTERIAL & VENOUS | 2200 |                        |         |                 |              |                        |
| 237 | DOPPLER PENILE                                | 1450 |                        |         | 1               |              |                        |
| 238 | DOPPLER PLACENTAL (FETAL)                     | 1100 |                        |         | 0               |              |                        |
| 239 | DOPPLER PORTAL                                | 1100 |                        |         | 0               |              |                        |

|     |  |      |              |          |                         |                        |   |
|-----|--|------|--------------|----------|-------------------------|------------------------|---|
| 240 | DOPPLER PREGNANCY                            | 1100 |              |          | 0                       |                        |   |
| 241 | DOPPLER STUDY PELVIS                         | 1100 |              |          |                         |                        |   |
| 242 | DOPPLER UPPER LIMB (BOTH) ARTERIAL           | 2200 |              |          |                         |                        |   |
| 243 | DOPPLER UPPER LIMB (BOTH) VENOUS             | 2200 |              |          |                         |                        |   |
| 244 | DOPPLER UPPER LIMB (BOTH)ARTERIAL & VENOUS   | 4400 |              |          |                         |                        |   |
| 245 | DOPPLER UPPER LIMB (SINGLE) ARTERIAL         | 1100 |              |          |                         |                        |   |
| 246 | DOPPLER UPPER LIMB (SINGLE) VENOUS           | 1100 |              |          |                         |                        |   |
| 247 | DOPPLER UPPER LIMB (SINGLE)ARTERIAL & VENOUS | 2200 |              |          |                         |                        |   |
| 248 | DOUBLE MARKER (PREGNANCY)                    | 1800 | E C L I A    | Serum    | Cut off 9 pm            | 48 hours               | Test is done bet 11 - 14 weeks<br>Please specify the Maternal |
| 249 | E.HIST-IgG                                   | 1800 | E I A        | Serum    | Tue / Sat 11 am         | 48 hours               |   |
| 250 | EAR SWAB FOR C/S                             | 350  | Microbiology | EAR SWAB | cut.off 9 pm            | 48 hours               |   |
| 251 | ECG ELECTROCARDIOGRAM                        | 120  |              |          | 8 am to 9 pm            |                        | Subject to availability of<br>inhouse consultant. TAT may     |
| 252 | ECHINOCOCCUS (HYDATID SEROLOGY) - IgG        | 2000 | E I A        | Serum    | Wed 11 am               | after 2 days           |   |
| 253 | e-GLOMERULAR FILTRATION RATE (e-GFR)         | 500  | bio-chemical | Serum    | Cut off 9 pm            | 6 hours                |   |
| 254 | ELECTROLYTES SERUM                           | 450  | ISE          | Serum    | Cut off 9 pm            | 6 hours                |   |
| 255 | ELECTROLYTES URINE                           | 450  | ISE          | Urine    | Cut off 9 pm            | 6 hours                |   |
| 256 | ENDOSCOPY                                    | 700  |              |          | On Prior<br>appointment | after<br>completion of | Subject to availability of<br>Gastroenterologist              |

|     |                                      |      |                                      |                    |                 |               |  |
|-----|--------------------------------------|------|--------------------------------------|--------------------|-----------------|---------------|--|
| 257 | EPINEPHRINES (24 HOURS URINE)        | 3000 | E I A                                | URINE              | Mon 11 am       | after 3 days  | Add 5ml of 10 % Thymol to the urine container before |
| 258 | EPINEPHRINES (PLASMA)                | 3000 | E I A                                | WB-EDTA            | Mon 11 am       | after 3 days  |  |
| 259 | EPSTEIN BARR VIRUS - IGG             | 1800 | E I A                                | Serum              | Sat 11 am       | after 3 days  |  |
| 260 | EPSTEIN BARR VIRUS - IGM             | 1800 | E I A                                | Serum              | SAT 11 AM       | after 3 days  |  |
| 261 | EPSTEIN BARR VIRUS DNA PCR           | 4000 | PCR                                  | WB-EDTA            | Cut off 10 am   | After 14 days |  |
| 262 | ER / PR                              | 2500 | IHC                                  | Tissue /<br>Blocks | Cut off 10 am   | 8 days        |  |
| 263 | ER / PR & HER - 2                    | 3500 | IHC                                  | Tissue /<br>Blocks | Cut off 10 am   | 8 days        |  |
| 264 | ERYTHROCYTE COUNT (RBC COUNT)        | 100  | cell counter                         | WB-EDTA            | Cut off 9 pm    | 6 hours       |  |
| 265 | ERYTHROCYTE SEDIMENTATION RATE (ESR) | 100  | Sedimentation                        | Sodium citrate     | Cut off 9 pm    | 6 hours       |  |
| 266 | ERYTHROPOIETIN                       | 2000 | C L I A                              | Serum              | cut.off 11 am   | 48 hours      |  |
| 267 | ESTRADIOL (E2)                       | 400  | C L I A                              | Serum              | cut.off 9 pm    | 6 hours       |  |
| 268 | ESTROIL, UNCONJUGATED (E3)           | 1150 | E I A                                | Serum              | cut.off 9 pm    | 6 hours       |  |
| 269 | FACTOR - IX (PLASMA)                 | 2500 | Photo Optical Colt<br>Detection      | Citrated<br>Plasma | Tue / Fri 11 am | After 4 days  |  |
| 270 | FACTOR - V LEIDEN                    | 6500 | PCR                                  | WB-EDTA            | Tue/ Fri 11 am  | After 4 days  |  |
| 271 | FACTOR - VII                         | 3500 | Photo Optical Colt<br>Detection      | Citrated<br>Plasma | Wed 11 am       | after 2 days  |  |
| 272 | FACTOR - VIII                        | 1800 | Electromechanical<br>clott Detection | Citrated<br>Plasma | Tue / Fri 11 am | After 4 days  |  |
| 273 | FACTOR - X                           | 5500 | Electromechanical<br>clott Detection | Citrated<br>Plasma | Wed 11 am       | after 2 days  |  |

|     |                                       |      |                 |                 |                      |               |                               |
|-----|---------------------------------------|------|-----------------|-----------------|----------------------|---------------|-------------------------------|
| 274 | FACTOR - XIII ACTIVITY                | 1500 | Clot Solubility | Citrated Plasma | Cut off 10 am        | after 2 days  |                               |
| 275 | FASTING BLOOD SUGAR                   | 50   | bio-chemical    | Plasma          | Cut off 9 pm         | 6 hours       | 10-12 hrs fasting             |
| 276 | FAT GLOBULES                          | 125  | microscopy      | Stool           | Cut off 8 pm         | 6 hours       |                               |
| 277 | FERRITIN                              | 650  | C L I A         | Serum           | Cut off 9 pm         | 6 hours       |                               |
| 278 | Fetal Echo                            | 1000 |                 |                 | 1                    |               |                               |
| 279 | FIBRINOGEN                            | 450  | clotting        | Citrated Plasma | cut.off 9 pm         | 6 hours       |                               |
| 280 | FIBRINOGEN DEGRADATION PRODUCTS (FDP) | 800  | Agglutination   | Citrated Plasma | Cut off 9 pm         | 6 hours       |                               |
| 281 | FINE NEEDLE ASPIRATION (FNAC)         | 600  |                 |                 | On Prior appointment | Next day 5 pm | Clinical details is mandatory |
| 282 | FLUID (PLEU/ASP/ASCI) FOR C/S         | 350  | Microbiology    | Any fluid       | cut.off 9 pm         | 48 hours      |                               |
| 283 | FLUID FOR BIO-CHEMICAL ANALYSIS       | 250  | bio-chemical    | Aspirated Fluid | Cut off 9 pm         | 6 hours       |                               |
| 284 | FLUID FOR CELLCOUNT                   | 150  | microscopy      | Aspirated fluid | Cut off 8 pm         | 6 hours       |                               |
| 285 | FLUID FOR CYTOLOGY                    | 500  | microscopy      | Aspirated fluid | Cut off 9 pm         | Next day 5 pm | Clinical details is mandatory |
| 286 | FOETAL Hb (QUALITATIVE)               | 600  | HPLC            | WB-EDTA         | Tue / Fri 11 am      | Same day 5 pm |                               |
| 287 | FOLIC ACID / FOLATE                   | 650  | C L I A         | Serum           | cut.off 9 pm         | 6 hours       |                               |
| 288 | FOLLICLE STIMULATING HORMONE (FSH)    | 250  | C L I A         | Serum           | cut.off 9 pm         | 6 hours       |                               |
| 289 | FREE ANDROGEN INDEX(FAI)              | 2800 | CLIA            | SERUM           | CUT OFF 11AM         | after 2 days  |                               |
| 290 | FREE-PSA                              | 1000 | C L I A         | Serum           | Cut off 10 am        | 48 hours      |                               |

|     |  |      |                            |                    |                |               |  |
|-----|--|------|----------------------------|--------------------|----------------|---------------|--|
| 291 | FRUCTOSAMINE   | 1200 | BIOCHEMICAL                | SERUM              | Cut off 10 am  | 48 hours      |  |
| 292 | FUNGAL ELEMENTS (KOH MOUNT)                            | 400  | microscopy                 | Any Sample         | cut.off 5 pm   | 6 hours       |  |
| 293 | GAD-65   | 6500 | E I A                      | Serum              | Fri 11 am      | after 3 days  |  |
| 294 | GALACTOMANNAN  | 5100 | EIA                        | SERUM              | Wed 11 am      | after 3 days  |  |
| 295 | GALACTOSEMIA (EPIMERASE)                               | 3000 | Fluorometry                | Sodium Heparin     | Cut off 10 am  | after 6 days  |  |
| 296 | GALACTOSEMIA TRANSFERASE                               | 2500 | Fluorometry                | Sodium Heparin     | Cut off 10 am  | after 6 days  |  |
| 297 | GAMMA GLUTAMYL TRANSFERASE (GGT)                       | 300  | bio-chemical               | Serum              | Cut off 9 pm   | 6 hours       |  |
| 298 | GASTRIN  | 2000 | C L I A                    | Serum              | Wed/sat 11 am  | after 2 days  |  |
| 299 | Gene Xpert MTB with RIFAMPICIN Resistance, Qualitative | 2400 | Line Probe Assay           | Sputum/any sample/ | Cut off 10 am  | After 6 days  |  |
| 300 | GLUCOSE 6 PHOSPHATE DEHYDROGENASE (G6PD)               | 550  | bio-chemical               | Whole Blood        | Cut off 9 pm   | 6 hours       |  |
| 301 | GLUCOSE CHALLENGE TEST (GCT)                           | 250  | bio-chemical               | Plasma             | Cut off 9 pm   | 6 hours       | Fasting sample to be taken.subsequently 75 gms |
| 302 | GLYCOSYLATED HAEMOGLOBIN (GHB / HBA1C)                 | 400  | HPLC                       | Whole Blood        | Cut off 9 pm   | 6 hours       |  |
| 303 | GRAM STAIN   | 175  | microscopy                 | FLUID              | Cut off 5 pm   | 6 hours       |  |
| 304 | GROWTH HORMONE   | 600  | C L I A                    | Serum              | Cut off 9 pm   | 6 hours       |  |
| 305 | HAEMOGLOBIN (HB)                                       | 80   | cell counter/manual        | WB-EDTA            | Cut off 9 pm   | 6 hours       |  |
| 306 | HAEMOGLOBIN ELECTROPHORESIS                            | 1200 | Agrose Gel Electrophoresis | WB-EDTA            | Tue/ Fri 11 am | Same day 5 pm |  |
| 307 | HAEMOGLOBIN UREA                                       | 250  | manual                     | Urine              | cut.off 9 pm   | 6 hours       |  |

|     |  |       |                        |         |               |               |  |
|-----|--|-------|------------------------|---------|---------------|---------------|--|
| 308 | HAEMOGRAM (CBP,PLT,RBC)                          | 300   | cell counter/microscop | WB-EDTA | Cut off 9 pm  | 6 hours       |  |
| 309 | HANGING DROP PREPARATION (STOOL)                 | 175   | Microscopy             | Stool   | Cut off 5 pm  | 6 hours       |  |
| 310 | HAPTOGLOBIN                                      | 2000  | Nephelometry           | Serum   | Cut off 10 am | 48 hours      |  |
| 311 | HAV RNA DETECTION                                | 4000  | PCR                    | WB-EDTA | Cut off 10 am | After 1 week  |  |
| 312 | HBSAG (ELISA)                                    | 300   | ELISA                  | SERUM   | Cut off 2 pm  | After 5 pm    |  |
| 313 | HBsAG(Rapid)-Austrelian Antigen                  | 300   | Immunochromatography   | Serum   | Cut off 9 pm  | 6 hours       |  |
| 314 | HCV - ELISA                                      | 400   | ELISA                  | SERUM   | Cut off 2 pm  | AFTER 6 PM    |  |
| 315 | HCV GENOTYPING                                   | 11000 | PCR                    | wb-EDTA | Cut off 10 am | After 5 days  |  |
| 316 | HELICOBACTER PYLORI - IgA                        | 2200  | E I A                  | Serum   | Wed 11 am     | after 2 days  |  |
| 317 | HELICOBACTER PYLORI - IgG                        | 2200  | E I A                  | Serum   | Wed 11 am     | after 2 days  |  |
| 320 | HEPATITIS A VIRUS - IgM                          | 600   | C L I A                | Serum   | cut.off 9 pm  | 6 hours       |  |
| 321 | HEPATITIS B CORE ANTIBODY - TOTAL                | 1500  | C L I A                | Serum   | Cut off 10 am | after 2 days  |  |
| 322 | HEPATITIS B CORE ANTIBODY IGM (ANTI HBC-IgM)     | 500   | E I A                  | Serum   | Cut off 10 am | Same day 5 pm |  |
| 323 | HEPATITIS B ENVELOPE ANTIBODY (HBeAb)            | 500   | E I A                  | Serum   | Cut off 10 am | Same day 5 pm |  |
| 324 | HEPATITIS B ENVELOPE ANTIGEN (HBeAG)             | 500   | E I A                  | Serum   | Cut off 10 am | Same day 5 pm |  |
| 325 | HEPATITIS B SURFACE ANTIBODY TOTAL (ANTI HBs Ag) | 500   | E I A                  | Serum   | Cut off 10 am | Same day 5 pm |  |
| 326 | HEPATITIS B SURFACE ANTIGEN                      | 300   | E I A                  | Serum   | Cut off 2 pm  | Same day 5 pm |  |

|     |                                       |      |              |         |                 |               |  |
|-----|---------------------------------------|------|--------------|---------|-----------------|---------------|--|
| 327 | HEPATITIS B VIRUS (QUALITATIVE)       | 3500 | PCR          | wb-EDTA | Mon/Thur 11 am  | Same day 5 pm |  |
| 328 | HEPATITIS B VIRUS (QUANTITATIVE)      | 5000 | PCR          | WB-EDTA | Mon/Thur 11 am  | Same day 5 pm |  |
| 329 | HEPATITIS C ANTIBODY (HCV) IGM        | 1800 | E I A        | Serum   | Tue / Sat 11 am | after 3 days  |  |
| 330 | HEPATITIS C VIRUS (HCV -IgG ANTIBODY) | 600  | E C L I A    | Serum   | Cut off 2 pm    | Same day 5 pm |  |
| 331 | HEPATITIS C VIRUS (QUALITATIVE)       | 3500 | PCR          | WB-EDTA | Wed/sat 11 am   | Same day 5 pm |  |
| 332 | HEPATITIS C VIRUS (QUANTITATIVE)      | 5000 | PCR          | WB-EDTA | Wed/sat 11 am   | Same day 5 pm |  |
| 333 | HEPATITIS E VIRUS - IGG               | 2000 | E I A        | Serum   | Tue / Sat 11 am | after 3 days  |  |
| 334 | HEPATITIS E VIRUS - IgM               | 600  | E I A        | Serum   | Cut off 10 am   | Same day 5 pm |  |
| 337 | HERPES SIMPLEX VIRUS I & II - IgG     | 300  | E I A        | Serum   | Cut off 10 am   | Same day 5 pm |  |
| 338 | HERPES SIMPLEX VIRUS I & II - IgM     | 300  | E I A        | Serum   | Cut off 10 am   | Same day 5 pm |  |
| 339 | HIGH SENSITIVE CRP (hsCRP)            | 350  | Nephelometry | Serum   | Cut off 10 am   | Same day 5 pm |  |
| 340 | HIV - ELISA                           | 400  | ELISA        | SERUM   | Cut off 2 pm    | Same day 5 pm |  |
| 341 | HIV (I & II) (TRIDOT)                 | 350  | Tridot       | Serum   | Cut off 8 pm    | 6 hours       |  |
| 342 | HIV AG / AB ( COMBO )                 | 450  | E C L I A    | Serum   | Cut off 2 pm    | Same day 5 pm |  |
| 343 | HIV p-24 ANTIGEN                      | 1150 | ELFA         | SERUM   | Cut off 11 am   | AFTER 3 DAYS  |  |
| 344 | HIV PROVIRAL DNA PCR                  | 4000 | PCR          | WB-EDTA | Cut off 11 am   | AFTER 3 DAYS  |  |
| 345 | HIV WESTERN BLOT TEST                 | 1800 | immunoblot   | Serum   | Cut off 10 am   | Same day 5 pm |  |

|     |  |      |                            |                   |                      |               |  |
|-----|--|------|----------------------------|-------------------|----------------------|---------------|--|
| 346 | HIV-2-RNA Quantification (Viral load)            | 5500 | REAL TIME PCR              | WB-EDTA           | Mon 11 am            | after 2 days  |  |
| 347 | HIV-QUANTITATIVE ( VIRAL LOAD)                   | 4500 | PCR                        | WB-EDTA           | Wed/sat 11 am        | Same day 5 pm |  |
| 348 | HLA B-27   | 1800 | PCR                        | WB-EDTA           | Cut off 11 am        | AFTER 48 HRS  |  |
| 349 | HOME VISIT                                       | 50   |                            |                   | 0                    |               |  |
| 350 | HOMOCYSTEIN                                      | 850  | C L I A                    | WB-EDTA           | cut.off 9 pm         | 6 hours       |  |
| 351 | HRP-II   | 250  | Chromatography             | WB-EDTA           | cut.off 9 pm         | 6 hours       |  |
| 352 | HSV - DNA DETECTOR                               | 4500 | PCR                        | WB-EDTA           | Tue/Sat 11 am        | AFTER 3 DAYS  |  |
| 353 | HTLV-1 Ab  | 4000 | E I A                      | Serum             | Sat 11 am            | After 4 days  |  |
| 354 | HUMAN PAPILOMA VIRUS DNA DETECTOR                | 1800 | PCR                        | Cervical Scraping | CUT OFF 11AM         | After 5 days  |  |
| 355 | HYDROXY INDOLE ACETIC ACID (HIAC) 24 HOURS URINE | 2800 | Column Chromatography      | Urine             | Sat 11 am            | AFTER 3 DAYS  | Add 5ml of 10 % Thymol to the urine container before |
| 356 | HYSTERO SALPINGOGRAM (HSG)                       | 1500 |                            |                   | On Prior appointment |               |  |
| 357 | IMMUNOFIXATION ELECTROPHORESIS                   | 5720 | Agrose Gel Electrophoresis | Serum             | Tue/Fri 11 am        | Same day 5 pm |  |
| 358 | IMMUNOGLOBULIN - IgA                             | 400  | Immunoturibidometry        | Serum             | Cut off 10 am        | Same day 5 pm |  |
| 359 | IMMUNOGLOBULIN - IgE(Total)                      | 400  | C L I A                    | Serum             | cut.off 9 pm         | 6 hours       |  |
| 360 | IMMUNOGLOBULIN - IgG                             | 400  | Immunoturibidometry        | Serum             | Cut off 10 am        | Same day 5 pm |  |
| 361 | IMMUNOGLOBULIN - IgM                             | 400  | Immunoturibidometry        | Serum             | Cut off 10 am        | Same day 5 pm |  |
| 362 | INDIAN INK PREPARATION ( CSF)                    | 175  | Microscopy                 | CSF               | Cut off 5 pm         | 6 hours       |  |

|     |  |      |                         |                   |                       |                 |   |
|-----|--|------|-------------------------|-------------------|-----------------------|-----------------|---|
| 363 | INHIBIN A                              | 1800 | E I A                   | Serum             | Thur 11 am            | after 2 days    |   |
| 364 | INHIBIN B SERUM                        | 2500 | E I A                   | Serum             | Tue / Sat 11 am       | 3 days          |   |
| 365 | INSULIN                                | 500  | C L I A                 | Serum             | cut.off 9 pm          | 6 hours         |   |
| 367 | INSULIN LIKE GROWTH FACTOR (IGF-I)     | 3000 | C L I A                 | Serum             | Cut off 10 am         | 48 hours        |   |
| 368 | INTACT PARATHYROID HORMONE (IPTH)      | 800  | C L I A                 | WB-EDTA           | cut.off 9 pm          | 6 hours         |   |
| 369 | INTRINSIC FACTOR ANTIBODY              | 2500 | IFA                     | Serum             | Tue / Sat 11 am       | AFTER 3<br>DAYS |   |
| 370 | IONIC CALCIUM                          | 300  | bio-chemical            | Serum             | cut.off 9 pm          | 6 hours         |   |
| 371 | IRON                                   | 300  | bio-chemical            | Serum             | cut.off 9 pm          | 6 hours         |   |
| 372 | ISLET CELL ANTIBODY                    | 3000 | IFA                     | Serum             | Tue/thur/sat 11<br>am | after 2 days    |   |
| 373 | IVP (NON-IONIC CONTRAST)               | 2000 |                         |                   | 0                     |                 |   |
| 374 | JAPANESE ENCEPHALITIS - Whole Blood    | 5500 | PCR                     | wb-EDTA           | Wed 11 am             | AFTER 3<br>DAYS |   |
| 375 | JAPANESE ENCEPHALITIS (CSF)            | 5500 | PCR                     | CSF               | Wed 11 am             | AFTER 3<br>DAYS |   |
| 376 | JAPANESE ENCEPHALITIS VIRUS IgM        | 1600 | IMMUNOCHRO<br>MATOGRAPY | SERUM             | Cut off 10 am         | after 3 days    |   |
| 377 | KAPPA & LAMBDA - FREE                  | 5000 | Nephelometry            | Urine             | Cut off 10 am         | 4 days          |   |
| 378 | KAPPA LIGHT CHAINS                     | 3000 | Nephelometry            | Urine             | Cut off 10 am         | 6 days          | Add 5ml of 10 % Thymol to<br>the urine container before |
| 379 | KARYO TYPING / CHROMOSOMAL<br>ANALYSIS | 2500 | Cell culture            | Sodium<br>Heparin | Cut off 10 am         | after 25 days   | Clinical details is mandatory                           |
| 380 | KETONE (Acetone)                       | 550  | Biochemical             | Serum             | cut.off 11 am         | 48 hours        |   |

|     |  |      |                   |                 |                 |               |  |
|-----|--|------|-------------------|-----------------|-----------------|---------------|--|
| 381 | KIDNEY FUNCTION TEST (UREA, CREA, Na+, K+) | 550  | bio-chemical      | Serum           | cut.off 9 pm    | 6 hours       |  |
| 382 | LACTATE                                    | 800  | bio-chemical      | Serum           | cut.off 9 pm    | 6 hours       | Separate plasma immediately                          |
| 383 | LACTATE - FLUID                            | 800  | BIOCHEMICAL       | FLUID           | cut.off 9 pm    | 6 HOURS       |  |
| 384 | LACTATE DEHYDROGENASE (LDH) - FLUID        | 400  | bio-chemical      | Aspirated fluid | cut.off 9 pm    | 6 hours       |  |
| 385 | LACTATE DEHYDROGENASE (LDH) - SERUM        | 400  | bio-chemical      | Serum           | cut.off 9 pm    | 6 hours       |  |
| 386 | LAMBDA LIGHT CHAINS                        | 3000 | Nephelometry      | Urine           | Cut off 10 am   | AFTER 3 DAYS  | Add 5ml of 10 % Thymol to the urine container before |
| 387 | LE CELLS                                   | 250  | microscopy        | Sodium Heparin  | cut.off 9 pm    | 6 hours       |  |
| 388 | LEAD LEVELS                                | 2000 | Atomic Absorption | WB-EDTA         | Tue / Fri 11 am | after 2 days  |  |
| 389 | LEGIONELLA PNEUMOPHILA IgG                 | 2100 | IFA               | Serum           | Tue 11 AM       | AFTER 3 DAYS  |  |
| 390 | LEGIONELLA PNEUMOPHILA IgM                 | 2400 | IFA               | Serum           | Tue 11 AM       | AFTER 3 DAYS  |  |
| 391 | LEISHMANIA ANTIBODY (kala Azar) IgG        | 1800 | E I A             | Serum           | Fri 11 am       | After 3 days  |  |
| 392 | LEPTOSPIRA ANTIBODY - IgG                  | 800  | E I A             | Serum           | Cut off 10 am   | Same day 5 pm |  |
| 393 | LEPTOSPIRA ANTIBODY - IgM                  | 800  | E I A             | Serum           | Cut off 10 am   | Same day 5 pm |  |
| 394 | LIGHT CHAINS DISEASE (KAPPA & LAMBDA)      | 5000 | Nephelometry      | Serum           | Cut off 10 am   | After 3 days  |  |
| 395 | LIPASE                                     | 400  | bio-chemical      | Serum           | cut.off 9 pm    | 6 hours       |  |
| 396 | LIPASE - FLUID                             | 400  | BIOCHEMICAL       | FLUID           | cut.off 9 pm    | 6 hours       |  |
| 397 | LIPID PROFILE                              | 500  | bio-chemical      | Serum           | cut.off 9 pm    | 6 hours       | 10 - 12 hrs fasting                                  |

|     |  |      |                      |                 |               |               |   |
|-----|--|------|----------------------|-----------------|---------------|---------------|---|
| 398 | LIPOPROTEIN A (LP-A)                             | 800  | Nephelometry         | Serum           | Cut off 10 am | 48 hours      | Overnight fasting is preferred                              |
| 399 | LITHIUM (LI)                                     | 800  | Biochemical          | Serum           | Cut off 10 am | 48 hours      |   |
| 400 | LIVER FUNCTION TEST                              | 500  | bio-chemical         | Serum           | cut.off 9 pm  | 6 hours       |   |
| 401 | LUPUS ANTI COAGULANT                             | 1000 | Clotting Method      | Citrated Plasma | Cut off 10 am | Same day 5 pm |   |
| 402 | LUTEINISING HORMONE (LH)                         | 230  | C L I A              | Serum           | cut.off 9 pm  | 6 hours       |   |
| 403 | MAGNESIUM  | 300  | bio-chemical         | Serum           | cut.off 9 pm  | 6 hours       |   |
| 404 | MALARIA ANTIBODY, IgG                            | 1500 | Immunochromatography | Serum           | Cut off 10 am | after 48 hrs  |   |
| 405 | MALARIAL ANTIGEN / R.M.T / PARAMAX-III           | 500  | Immunochromatography | WB-EDTA         | Cut off 9 pm  | 6 hours       |   |
| 406 | MANTOUX TEST                                     | 250  |                      |                 | Cut off 8 pm  | 6 hours       | Intradermal Injection given in lab on date of billing, Read |
| 407 | MEAN CORPUSCULAR HEMOGLIBIN (MCH)                | 80   | cell counter         | WB-EDTA         | Cut off 9 pm  | 6 hours       |   |
| 408 | MEAN CORPUSCULAR HEMOGLIBIN CONCENTRATION (MCHC) | 80   | cell counter         | WB-EDTA         | Cut off 9 pm  | 6 hours       |   |
| 409 | MEAN CORPUSCULAR VOLUME ( MCV )                  | 80   | cell counter         | WB-EDTA         | Cut off 9 pm  | 6 hours       |   |
| 410 | MEASLES IgG ANTIBODY                             | 1800 | E I A                | Serum           | Wed 10 am     | after 2 days  |   |
| 411 | MEASLES IgM ANTIBODY                             | 1800 | E I A                | Serum           | Wed 10 am     | after 2 days  |   |
| 412 | MEDICAL EXAMINATION                              | 150  |                      |                 |               |               |   |
| 413 | MELATONIN, SERUM                                 | 3000 | R I A                | Serum           | Cut off 10 am | 18 days       |   |
| 414 | MERCURY  | 3400 | atomic absorption    | Serum           | Cut off 10 am | 8 days        | M   |

|     |  |      |                           |            |                 |                     |  |
|-----|--|------|---------------------------|------------|-----------------|---------------------|--|
| 415 | METABOLIC SCREEN (URINE)                               | 2800 | Thin layer Chromotography | Spot Urine | Tue / Sat 11 am | 6 days              |  |
| 416 | METANEPHRINES (24 HOURS)                               | 2800 | E I A                     | Urine      | Mon 11 am       | 3 days              | Add 5ml of 10 % Thymol to the urine container before |
| 417 | METH-HAEMOGLOBIN BLOOD                                 | 1500 | Biochemical               | WB-EDTA    | Cut off 10 am   | 48 hours            |  |
| 418 | MICRO ALBUMIN ( 24 HOURS URINE )                       | 400  | Immunometric flowthrough  | Urine      | cut.off 9 pm    | 6 hours             | Add 5ml of 10 % Thymol to the urine container before |
| 419 | MICRO ALBUMIN (SPOT URINE)                             | 400  | Immunometric flowthrough  | Urine      | cut.off 9 pm    | 6 hours             |  |
| 420 | MICROFILARIA ANTIGEN                                   | 350  | Immunochromatography      | WB-EDTA    | cut.off 9 pm    | 24 hours            |  |
| 421 | MICTURATING CYSTO URETHROGRAM (MCUG)                   | 1400 |                           |            |                 |                     |  |
| 423 | MUMPS ANTIBODY - IgG                                   | 1800 | E I A                     | Serum      | Cut off 10 am   | 48 hours            |  |
| 424 | MUMPS ANTIBODY - IgM                                   | 1800 | E I A                     | Serum      | Wed / Sat 11 am | 48 hours            |  |
| 425 | MUSCLE BIOPSY  | 5000 |                           |            | 30              |                     |  |
| 426 | MUSK ANTIBODIES  | 6400 | R I A                     | Serum      | Sat 11 am       | 3 days              |  |
| 427 | Myco TB rRAN   | 2700 | PCR                       |            | Cut.off 11 Am   | After 1 week        |  |
| 428 | Mycobacterium Tuberculosis DNA Detection - FLUID       | 2000 | Real Time PCR             | Fluid      | Tue/Fri 10 am   | Same day after 5 pm |  |
| 429 | Mycobacterium Tuberculosis DNA Detection - TISSUE      | 2000 | REAL TIME PCR             | TISSUE     | Tue / Fri 10 am | Same day After 5 pm |  |
| 430 | Mycobacterium Tuberculosis DNA Detection - Whole Blood | 2000 | PCR                       | WB-EDTA    | Tue /Fri 10 am  | Same day 5 pm       |  |
| 431 | MYCOPLASMA PNEUMONIAE - IgG                            | 2800 | E I A                     | Serum      | Sat 10 am       | AFTER 3 DAYS        |  |
| 432 | MYCOPLASMA PNEUMONIAE - IgM                            | 2800 | E I A                     | Serum      | Sat 10 am       | AFTER 3 DAYS        |  |

|     |  |      |              |                |               |              |  |
|-----|--|------|--------------|----------------|---------------|--------------|--|
| 433 | MYOGLOBIN SERUM                                  | 2000 | E L F A      | Serum          | Cut off 10 am | 48 hours     |  |
| 434 | MYOGLOBINURIA                                    | 200  | manual       | Spot Urine     | cut.off 9 pm  | 6 hours      |  |
| 435 | NASAL SMEAR FOR EOSINOPHILS                      | 150  | microscopy   | Nasal swab     | cut.off 9 pm  | 6 hours      |  |
| 436 | NEUROSONOGRAM                                    | 650  |              |                |               |              | For new born babies upto 1 year                      |
| 437 | NHL PANEL  | 5400 | IHC          |                | 50            |              |  |
| 438 | NOR-EPINEPHRINE (NOR ADRENAINE) - 24 HOURS URINE | 3000 | E I A        | Urine          | Tue 10 am     | After 3 days | Add 5ml of 10 % Thymol to the urine container before |
| 439 | NT-PRO BNP                                       | 2500 | C L I A      | Serum          | cut.off 9 pm  | 6 hours      |  |
| 440 | OCCULT BLOOD ( URINE )                           | 100  | strip/manual | Spot Urine     | Cut off 9 pm  | 6 hours      |  |
| 441 | OCCULT BLOOD (STOOL)                             | 100  | strip/manual | Stool          | Cut off 9 pm  | 6 hours      | Donot eat Red meat from the past 3 days              |
| 442 | ORAL-GLUCOSE TOLERANCE TEST (OGTT)               | 350  | bio-chemical | Serum          | Cut off 5 pm  | 6 hours      | Fasting sample to be taken.subsequently 75 gms       |
| 443 | ORGANO PHOUSPHOROUS                              | 2000 | Biochemical  | Stomach wash   | Cut off 10 am | 48 hours     |  |
| 444 | ORGANOCARBAMATES                                 | 2000 | BIOCHEMICAL  | Stomach wash   | Cut off 10 am |              |  |
| 445 | OSMOLALITY ( URINE )                             | 650  | bio-chemical | Spot Urine     | cut.off 9 pm  | 6 hours      |  |
| 446 | OSMOLALITY (BLOOD)                               | 650  | bio-chemical | Serum          | cut.off 9 pm  | 6 hours      |  |
| 447 | OSMOTIC FRAGILITY TEST                           | 400  | manual       | Sodium Heparin | cut.off 9 pm  | 6 hours      |  |
| 448 | OSTEOCALCIN (BGP-BONE GIA PROTEIN)               | 3500 | C L I A      | Serum          | Cut off 10 am | 48 hours     |  |
| 449 | OT STERILITY STUDY (MAJOR)                       | 1800 | Microbiology | Swab           | Cut off 9 pm  | 48 hours     |  |

|     |  |      |                        |                  |               |               |  |
|-----|--|------|------------------------|------------------|---------------|---------------|--|
| 450 | OT STERILITY STUDY (MINOR)                 | 900  | Microbiology           | Swab             | cut.off 9 pm  | 48 hours      |  |
| 451 | OVA & CYSTS                                | 80   | microscopy             | Stool            | Cut off 9 pm  | 6 hours       |  |
| 452 | OXALATE - 24HR URINE                       | 1800 | Biochemical            | URINE            | Cut off 10 am | After 2 days  | Add 5ml of 10 % Thymol to the urine container before |
| 453 | PACKED CELL VOLUME (PCV)                   | 80   | cell counter           | WB-EDTA          | Cut off 9 pm  | 6 hours       |  |
| 454 | PAP SMEAR                                  | 500  | microscopy             | Slides           | cut.off 9 pm  | Next day 5 pm | Clinical details is mandatory                        |
| 455 | PARAMAX-III                                | 500  | Immunochromatography   | WB-EDTA          | cut.off 9 pm  | 6 hours       |  |
| 456 | PARASITE - F                               | 250  | Immunochromatography   | WB-EDTA          | cut.off 9 pm  | 6 hours       |  |
| 457 | PARASITE - V                               | 250  | Immunochromatography   | WB-EDTA          | cut.off 9 pm  | 6 hours       |  |
| 458 | PARASITE - V & F                           | 500  | Immunochromatography   | WB-EDTA          | cut.off 9 pm  | 6 hours       |  |
| 459 | PARASITE INDEX                             | 150  | microscopy             | WB-EDTA          | cut.off 9 pm  | 6 hours       |  |
| 460 | PAULBUNNEL TEST                            | 500  | Agglutination          | Serum            | Cut off 10 am | Same day 5 pm |  |
| 461 | PERIPHERAL SMEAR EXAMINATION               | 150  | cell counter/microscop | WB-EDTA          | cut.off 9 pm  | 6 hours       |  |
| 462 | PERITONEAL FLUID FOR BIO-CHEMICAL ANALYSIS | 250  | bio-chemical           | Peritoneal fluid | cut.off 9 pm  | 6 hours       |  |
| 463 | PERITONEAL FLUID FOR CELL COUNT            | 150  | microscopy             | Peritoneal fluid | Cut off 8 pm  | 6 hours       |  |
| 464 | PHENOBARBITAL (GARDINAL)                   | 1200 | C L I A                | Serum            | Cut off 10 am | After 2 days  | Mention time of drug dose                            |
| 465 | PHENYTOIN (EPTOIN)                         | 750  | C L I A                | Serum            | Cut off 10 am | 48 hours      |  |
| 466 | PHORPHOBILINOGEN (QUALITATIVE)             | 300  | manual                 | Spot Urine       | cut.off 9 pm  | 6 hours       |  |

|     |   |      |                        |                 |                  |               |                               |
|-----|---|------|------------------------|-----------------|------------------|---------------|-------------------------------|
| 467 | PHOSPHOROUS                             | 150  | bio-chemical           | Serum           | cut.off 9 pm     | 6 hours       |                               |
| 468 | PHYSICAL EXAMINATION                    | 150  |                        |                 |                  |               |                               |
| 469 | PLACENTAL CHROMOSOMAL ANALYSIS          | 6000 | Cell culture           | Tissue          | cut.off 9 pm     | after 25 days | Clinical details is mandatory |
| 470 | PLASMA RENIN ACTIVITY                   | 4500 | R I A                  | WB-EDTA         | Mon / Thur 10 am | After 3 days  |                               |
| 471 | PLATELET ANTIBODY                       | 5500 | IFA                    | Serum           | Sat 11 am        | 3 days        |                               |
| 472 | PLATELET COUNT                          | 120  | cell counter/microscop | WB-EDTA         | Cut off 9 pm     | 6 hours       |                               |
| 473 | PLEURAL FLUID FOR BIO-CHEMICAL ANALYSIS | 250  | bio-chemical           | Pleural Fluid   | Cut off 9 pm     | 6 hours       |                               |
| 474 | PLEURAL FLUID FOR CELL COUNT            | 150  | microscopy             | Pleural Fluid   | Cut off 8 pm     | 6 hours       |                               |
| 475 | PNEUMOCYSTIS CARINII DETECTION          | 3000 | IFA                    | Serum           | Cut off 10 am    | After 3 days  |                               |
| 476 | Polarising Microscope                   | 750  | Microscopy             | Fluid           | Cut off 10 am    | After 4 days  |                               |
| 478 | POST GLUCOSE BLOOD SUGAR                | 0    | BIOCHEMICAL            | FLOURIDE PLASMA | Cut off 9 pm     | 6 HOURS       |                               |
| 479 | POST LUNCH BLOOD SUGAR                  | 50   | bio-chemical           | FLOURIDE PLASMA | Cut off 9 pm     | 6 hours       | 1 hr after glucose in-take    |
| 480 | POST PRANDIAL BLOOD GLUCOSE             | 50   | bio-chemical           | FLOURIDE PLASMA | Cut off 9 pm     | 6 hours       | 2 hrs after food in-take      |
| 481 | POTASSIUM SERUM                         | 150  | ISE                    | Serum           | Cut off 9 pm     | 6 hours       |                               |
| 482 | POTASSIUM URINE                         | 150  | ISE                    | Spot Urine      | Cut off 9 pm     | 6 hours       |                               |
| 483 | PRE LUNCH BLOOD SUGAR                   | 50   | BIOCHEMICAL            | FLORIDE         | Cut off 9 pm     | 6 HOURS       |                               |
| 484 | PRE PRANDIAL BLOOD SUGAR                | 50   | BIOCHEMICAL            | FLOURIDE PLASMA | Cut off 9 pm     | 6 HOURS       |                               |

|     |                                       |      |                                   |                 |                      |               |   |
|-----|---------------------------------------|------|-----------------------------------|-----------------|----------------------|---------------|---|
| 485 | PRE-ALUBMIN , SERUM                   | 4500 | Biochemical                       | Serum           | Mon 10 am            | After 3 days  |   |
| 486 | PREGNANCY TEST                        | 100  | Immunochromatography              | Urine           | Cut off 9 PM         | 6 hours       |   |
| 487 | PRO-CALCITONIN                        | 2300 | Immunochromatography              | Serum           | cut.off 9 pm         | 6 hours       |   |
| 488 | PRODUCTS OF CONCEPTION (KARYO TYPING) | 6000 | Cell culture                      | Tissue (POC)    | cut.off 9 pm         | after 25 days | Clinical details is mandatory                                 |
| 489 | PROGESTERONE                          | 450  | C L I A                           | Serum           | cut.off 9 pm         | 6 hours       |   |
| 490 | PROLACTIN                             | 250  | C L I A                           | Serum           | cut.off 9 pm         | 6 hours       |   |
| 491 | PROSTATE SPECIFIC ANTIGEN (PSA)       | 550  | C L I A                           | Serum           | Cut off 9 pm         | 6 hours       |   |
| 492 | PROTEIN C                             | 4500 | Chromogenic Assay                 | Citrated Plasma | Wed 10 am            | After 3 days  |   |
| 493 | PROTEIN ELECTROPHORESIS               | 750  | Agrose Gel Electrophoresis        | Serum           | Tue /Fri 10 am       | Same day 5 pm |   |
| 494 | PROTEIN S                             | 4500 | Clotting Method                   | Citrated Plasma | Wed 10 am            | After 3 days  |   |
| 495 | PROTHROMBIN TIME (PT)                 | 200  | Electromechanical clott Detection | Citrated Plasma | CUT OFF 9 PM         | 6 hours       |   |
| 496 | PULMANORY FUNCTION TEST               | 600  |                                   |                 | On Prior appointment |               |   |
| 497 | PUS FOR A.F.B                         | 175  | Microscopy                        | PUS             | cut.off 9 pm         | 6 hours       |   |
| 498 | PUS FOR CULTURE & SENSITIVITY         | 350  | Microscopy                        | PUS             | cut.off 9 pm         | 48 hours      |   |
| 500 | QUADRUPLE MARKER                      | 3000 | C L I A                           | Serum           | Cut off 10 am        | After 3 days  | Test is done bet 20 - 24 weeks<br>Please specify the Maternal |
| 501 | RA FACTOR - FLUID                     | 350  | IMMUNOTURBIDOMETRY                | FLUID           | CUT OFF 9 PM         | 6 HOURS       |   |
| 502 | RANDOM BLOOD SUGAR                    | 50   | bio-chemical                      | Plasma          | CUT OFF 9 PM         | 6 hours       |   |

|     |                                 |      |                          |              |                      |                  |   |
|-----|---------------------------------|------|--------------------------|--------------|----------------------|------------------|---|
| 503 | RAPID PLASMA REAGEN ( VDRL )    | 250  | Flocculation             | Serum        | CUT OFF 9 PM         | 6 hours          |   |
| 504 | REDUCING SUBSTANCES ( STOOL )   | 80   | Benedicts                | Stool        | CUT OFF 9 PM         | 6 hours          |   |
| 505 | REDUCING SUBSTANCES ( URINE )   | 80   | Benedicts                | Urine        | cut.off 9 pm         | 6 hours          |   |
| 506 | RETICULOCYTE COUNT              | 175  | stain/microscopy         | WB-EDTA      | cut.off 9 pm         | 6 hours          |   |
| 507 | RETROGRADE URETHROGRAM (RGU)    | 1000 |                          |              | PRIOR<br>Appointment |                  |   |
| 508 | RETROVIRUS AG/ AB (COMBO)       | 450  | E C L I A                | Serum        | Cut off 2 pm         | Same day 5<br>pm |   |
| 509 | RH ANTIBODY - TITRES            | 500  | Manual(coombs)           | Serum        | Cut off 8 pm         | 6 hours          |   |
| 510 | RHEUMATOID FACTOR ( RA FACTOR ) | 350  | Immunoturibido<br>metry  | Serum        | CUT OFF 9 PM         | 6 hours          |   |
| 511 | RHEUMATOID FACTOR IgM ANTIBODY  | 500  | E I A                    | Serum        | Cut off 10 am        | Same day 5<br>pm |   |
| 512 | ROTA VIRUS DETECTION            | 1500 | Agglutination            | Stool        | Cut off 10 am        | After 2 days     |   |
| 513 | RUBELLA VIRUS - IgG             | 300  | E I A                    | Serum        | Cut off 10 am        | Same day 5<br>pm |   |
| 514 | RUBELLA VIRUS - IgM             | 300  | E I A                    | Serum        | Cut off 10 am        | Same day 5<br>pm |   |
| 515 | SAAG                            | 240  | bio-chemical             | Asitic fluid | cut.off 9 pm         | 6 hours          |   |
| 516 | SALMONELLA IGM / TYPHI DOT IgM  | 800  | Immunochromato<br>graphy | Serum        | Cut off 10 am        | Same day 5<br>pm |   |
| 517 | SCRAPING FOR A.F.B              | 150  | Microscopy               |              | Cut off 5 pm         | 6 hours          |   |
| 518 | SCRUB TYPHUS SEROLOGY           | 1900 | IMMUNOCHRO<br>MATOGRAPHY | SERUM        | Cut off 10 am        | Same day 5<br>pm |   |
| 519 | SEMEN ANALYSIS                  | 400  | Microscopy               | Semen        | Cut off 6 pm         | 6 hours          | 3 days of abstinence, Sample<br>to reach lab within 15 - 20 |

|     |                                       |      |                |                    |                         |                  |  |
|-----|---------------------------------------|------|----------------|--------------------|-------------------------|------------------|--|
| 520 | SEMEN FOR CULTURE & SENSITIVITY       | 400  | Microbiology   | Semen              | cut.off 9 pm            | 48 hours         |  |
| 521 | SEMEN FOR FRUCTOSE                    | 150  | bio-chemical   | Semen              | cut.off 9 pm            | 6 hours          |  |
| 522 | SERUM TRANSFERRIN                     | 1000 | Biochemical    | Serum              | cut.off 9 pm            | 6 hours          |  |
| 523 | SEX HORMONE BINDING GLOBULIN (SHBG)   | 600  | C L I A        | Serum              | Cut off 10 am           | 48 hours         |  |
| 524 | SICKLING TEST                         | 250  | Metabisulphate | WB-EDTA            | cut.off 9 pm            | 6 hours          |  |
| 525 | SINGLE MARKER (IHC)                   | 1500 | IHC            | Tissue /<br>Blocks | Cut off 10 am           | 4 days           |  |
| 526 | SKIN BIOPSY ( PROCEDURE + REPORTING ) | 1200 |                |                    | On Prior<br>appointment |                  |  |
| 527 | SKIN BIOPSY (LM+IF)                   | 3000 |                |                    | On Prior<br>appointment |                  |  |
| 528 | SLIDES / BLOCKS RETURN                | 200  |                |                    |                         |                  |  |
| 529 | SLIDES FOR SECOND OPINION             | 250  | Microscopy     | Slides             | cut.off 9 pm            | 48 hours         |  |
| 530 | SLIT ( SKIN ) SMEAR FOR AFB           | 600  | Microscopy     |                    | cut.off 9 pm            | 6 hours          |  |
| 531 | SMEAR FOR CYTOLOGY - SLIDE            | 500  | microscopy     | Slide              | Cut off 9 pm            | Next day 5 pm    | Clinical details is mandatory                                |
| 532 | SMEAR FOR CYTOLOGY FLUID              | 500  | microscopy     | Fluid              | Cut off 9 pm            | Next day 5 pm    | Clinical details is mandatory                                |
| 533 | SMEAR FOR GONO COCCI                  | 175  | Microscopy     | Swab               | cut.off 9 pm            | 6 hours          |  |
| 534 | SMEAR FOR MALARIAL PARASITE           | 150  | microscopy     | WB-EDTA            | cut.off 9 pm            | 6 hours          |  |
| 535 | SMEAR FOR MALIGNANT CELLS             | 500  | microscopy     | Any<br>specimen    | cut.off 9 pm            | Next day 5 pm    | Clinical details is mandatory                                |
| 536 | SMEAR FOR MICRO FILARIA               | 350  | microscopy     | WB-EDTA            | Cut off 10 am           | Same day 5<br>pm | Sample to be collected in the<br>night / After Hetrazan Inj. |

|     |   |      |              |               |               |               |   |
|-----|---|------|--------------|---------------|---------------|---------------|---|
| 537 | SMEAR FOR MICROSCOPY                      | 300  | Microscopy   | Slides/fluid  | Cut off 9 pm  | Next day 5 pm |   |
| 538 | SODIUM - URINE                            | 140  | ISE          | Urine         | Cut off 9 pm  | 6 hours       |   |
| 539 | SODIUM SERUM                              | 140  | ISE          | Serum         | Cut off 9 pm  | 6 hours       |   |
| 541 | SPERM WASH                                | 1000 |              | Semen         | Cut off 6 pm  | 2 Hours       | Undertaking form to be filled,<br>Sample is accepted bet 9 am - 5 |
| 542 | SPOT URINE FOR CALCIUM                    | 140  | Biochemistry | URINE         | cut.off 9 pm  | 6 Hours       |   |
| 543 | SPOT URINE FOR CALCIUM : CREATININE RATIO | 275  | bio-chemical | Spot Urine    | cut.off 9 pm  | 6 hours       |   |
| 544 | SPOT URINE FOR CREATININE                 | 175  | bio-chemical | Spot Urine    | cut.off 9 pm  | 6 hours       |   |
| 545 | SPOT URINE FOR PHOSPHORUS                 | 150  | Biochemistry | URINE         | cut.off 9 pm  | 6 Hours       |   |
| 546 | SPOT URINE FOR PROTEIN / Albumin          | 175  | bio-chemical | Spot Urine    | cut.off 9 pm  | 6 hours       |   |
| 547 | SPOT URINE FOR PROTEIN : CREATININE RATIO | 325  | bio-chemical | Spot Urine    | cut.off 9 pm  | 6 hours       |   |
| 548 | SPOT URINE FOR UREA                       | 140  | bio-chemical | Spot Urine    | cut.off 9 pm  | 6 hours       |   |
| 549 | SPUTUM FOR A.F.B                          | 175  | Microscopy   | Sputum        | cut.off 9 pm  | 6 hours       |   |
| 550 | SPUTUM FOR CULTURE & SENSITIVITY          | 350  | Microbiology | Sputum        | cut.off 9 pm  | 48 hours      |   |
| 551 | SPUTUM FOR CYTOLOGY                       | 500  | microscopy   | sputum/slides | cut.off 9 pm  | Next day 5 pm | Clinical details is mandatory                                     |
| 552 | SPUTUM FOR MALIGNANT CELLS                | 500  | microscopy   | sputum/slides | cut.off 9 pm  | Next day 5 pm | Clinical details is mandatory                                     |
| 553 | STONE ANALYSIS                            | 1800 | FTIR         | Stone         | Cut off 10 am | After 3 days  |   |
| 554 | STOOL FOR CULTURE & SENSITIVITY           | 350  | Microbiology | Stool         | cut.off 9 pm  | 48 hours      |   |

|     |  |      |                      |                |                      |                     |   |
|-----|--|------|----------------------|----------------|----------------------|---------------------|---|
| 555 | STOOL FOR FAT (QUALITATIVE)              | 125  | microscopy           | Stool          | cut.off 9 pm         | 6 hours             |   |
| 556 | STOOL FOR FUNGAL ELEMENTS                | 250  | Microscopy           | Stool          | cut.off 9 pm         | 6 hours             |   |
| 557 | STOOL FOR PH                             | 50   | Strip                | Stool          | cut.off 9 pm         | 6 hours             |   |
| 558 | STRESS TEST                              | 900  |                      |                | On Prior appointment | after completion of | Subject to availability of Cardiologist |
| 559 | STS (STANDARD TEST FOR SYPHILIS )        | 250  | Flocculation         | Serum          | cut.off 9 pm         | 6 hours             |   |
| 560 | SUCROSE LYSIS TEST                       | 1300 | Hemolysis            | Serum/WB-EDTA  | Cut off 10 am        | 48 hours            |   |
| 561 | SWAB FOR CULTURE & SENSITIVITY           | 350  | Microbiology         | Swab           | cut.off 9 pm         | 48 hours            |   |
| 562 | SYNOVIAL FLUID FOR BIO-CHEMICAL ANALYSIS | 250  | bio-chemical         | Synovial fluid | Cut off 9 pm         | 6 hours             |   |
| 563 | SYNOVIAL FLUID FOR CELL COUNT            | 150  | microscopy           | Synovial fluid | Cut off 8 pm         | 6 hours             |   |
| 564 | T P H A                                  | 800  | Sandwich immunoassay | Serum          | cut.off 10 am        | Same day 5 pm       |   |
| 565 | T3 (TOTAL)                               | 200  | CLIA                 | Serum          | cut.off 9 pm         | 6 hours             |   |
| 566 | T3, T4                                   | 400  | CLIA                 | Serum          | cut.off 9 pm         | 6 hours             |   |
| 567 | T4,TSH                                   | 400  | CLIA                 | Serum          | cut.off 9 pm         | 6 hours             |   |
| 568 | TB-FERON                                 | 2250 | E I A                |                | cut.off 9 pm         | 24 hours            |   |
| 569 | TESTOSTERONE-FREE                        | 800  | C L I A              | Serum          | cut.off 9 pm         | 6 hours             |   |
| 570 | TESTOSTERONE-TOTAL                       | 400  | C L I A              | Serum          | cut.off 9 pm         | 6 hours             |   |
| 571 | THEOPHYLINE                              | 1200 | C L I A              | Serum          | Cut off 10 am        | 48 hours            |   |

|     |                                       |      |                        |                 |                      |                     |   |
|-----|---------------------------------------|------|------------------------|-----------------|----------------------|---------------------|---|
| 572 | Thiamine (Vitamin B1)                 | 2200 | HPLC                   | WB-EDTA         | Cut off 10 am        | After 7 days        |   |
| 573 | THROAT SWAB FOR CULTURE & SENSITIVITY | 350  | Microbiology           | Throat Swab     | cut.off 9 pm         | 48 hours            |   |
| 574 | THROMBIN TIME (TT)                    | 1000 | Coagulation            | Citrated Plasma | Cut off 10 am        | After 2 days        |   |
| 575 | THYROGLOBULIN                         | 1000 | C L I A                | Serum           | Cut off 10 am        | 48 hours            |   |
| 576 | THYROID AB (ANTI TPO & ANTI TG)       | 1200 | C L I A                | Serum           | cut.off 9 pm         | 6 hours             |   |
| 577 | THYROID PROFILE (T3,T4,TSH)           | 500  | CLIA                   | Serum           | Cut off 9 pm         | 6 hours             |   |
| 578 | THYROID STIMULATING HORMONE (TSH)     | 250  | CLIA                   | Serum           | Cut off 9 pm         | 6 hours             |   |
| 579 | THYROXINE - FREE (FT4)                | 500  | C L I A                | Serum           | Cut off 9 pm         | 6 hours             |   |
| 580 | THYROXINE - TOTAL (TT4)               | 200  | CLIA                   | Serum           | Cut off 9 pm         | 6 hours             |   |
| 581 | TIRUCUT BIOPSY ( PROCEDURE)           | 800  |                        |                 | On Prior appointment |                     |   |
| 582 | TMT (TREAD MILL TEST)                 | 900  |                        |                 | On Prior appointment | after completion of | Subject to availability of Cardiologist |
| 583 | TORCH PANEL IgG ( 5 PARAMETERS )      | 900  | E I A                  | Serum           | Cut off 10 am        | Same day 5 pm       |   |
| 584 | TORCH PANEL IgM ( 5 APARAMETERS )     | 900  | E I A                  | Serum           | Cut off 10 am        | Same day 5 pm       |   |
| 585 | TORCH PROFILE ( 10 PARAMETERS )       | 1800 | E I A                  | Serum           | Cut off 10 am        | Same day 5 pm       |   |
| 586 | TOTAL & DIFFERENTIAL COUNT (TCDC)     | 140  | cell counter/microscop | WB-EDTA         | Cut off 9 pm         | 6 hours             |   |
| 587 | TOTAL IGE                             | 500  | C L I A                | Serum           | cut.off 9 pm         | 6 hours             |   |
| 588 | TOTAL IRON BINDING (TIBC)             | 300  | bio-chemical           | Serum           | cut.off 9 pm         | 6 hours             |   |

|     |                                  |      |                        |         |                      |               |   |
|-----|----------------------------------|------|------------------------|---------|----------------------|---------------|---|
| 589 | TOTAL PROTEINS (ALB, GLO)        | 140  | bio-chemical           | Serum   | Cut off 9 pm         | 6 hours       |   |
| 590 | TOTAL WBC COUNT (TC)             | 100  | cell counter/microscop | WB-EDTA | Cut off 9 pm         | 6 hours       |   |
| 591 | TOXOPLASMA GONDII - IgG          | 300  | E I A                  | Serum   | Cut off 10 am        | Same day 5 pm |   |
| 592 | TOXOPLASMA GONDII - IgM          | 300  | E I A                  | Serum   | cut.off 9 pm         | Same day 5 pm |   |
| 593 | TPMT ENZYME ACTIVITY             | 4800 | E I A                  | WB-EDTA | Cut off 10 am        | After 12 days |   |
| 594 | TRANSFERRIN SATURATION           | 550  | bio-chemical           | Serum   | cut.off 9 pm         | 6 hours       |   |
| 595 | TREPHINE BIOPSY                  | 1200 |                        |         | On Prior appointment |               |   |
| 596 | TRIGLYCERIDES                    | 140  | bio-chemical           | Serum   | cut.off 9 pm         | 6 hours       |   |
| 597 | TRIODOTHYRONINE - FREE (FT3)     | 500  | C L I A                | Serum   | cut.off 9 pm         | 6 hours       |   |
| 598 | TRIPLE SCREEN (AFP,BHCG,ESTRIOL) | 2000 | C L I A                | Serum   | cut.off 9 pm         | 48 hours      | Test is done bet 14 - 20 weeks<br>Please specify the Maternal |
| 599 | TROPONIN - I                     | 1200 | Immunochromatography   | Serum   | cut.off 9 pm         | 6 hours       |   |
| 600 | TROPONIN - T (QUANTITATIVE)      | 1800 | C L I A                | Serum   | Cut off 10 am        | Same day 5 pm |   |
| 601 | TSH RECEPTOR ANTIBODY            | 4500 | E C L I A              | Serum   | Tue/Fri 11 am        | After 3 days  |   |
| 602 | TZANCK SMEAR                     | 500  | microscopy             |         | cut.off 9 pm         | Next day 5 pm | Clinical details is mandatory                                 |
| 603 | ULTRASOUND ABDOMEN & PELVIS      | 600  |                        |         | Full bladder must    |               |   |
| 604 | ULTRASOUND ABDOMEN (MALE)        | 600  |                        |         | Full bladder must    |               |   |
| 605 | ULTRASOUND BIOPHYSICAL PROFILE   | 1000 |                        |         | 0                    |               |   |

|     |  |      |  |  |                                 |  |  |
|-----|--|------|--|--|---------------------------------|--|--|
| 606 | ULTRASOUND BREASTS<br>(MAMOSONOGRAM)     | 750  |  |  | 0                               |  |  |
| 607 | ULTRASOUND CHEST                         | 700  |  |  |                                 |  |  |
| 608 | ULTRASOUND EARLY PREGNANCY               | 600  |  |  | 0                               |  |  |
| 609 | ULTRASOUND FOLLICULAR STUDY              | 600  |  |  | 0                               |  |  |
| 610 | ULTRASOUND FOLLICULAR STUDY( EACH VISIT) | 100  |  |  | 0                               |  |  |
| 611 | ULTRASOUND GROWTH SCAN                   | 700  |  |  | 1                               |  |  |
| 612 | ULTRASOUND GUIDED ASPIRATION/FNAC        | 1000 |  |  | On Prior<br>appointment         |  |  |
| 613 | ULTRASOUND GUIDED CATHETER DRAINAGE      | 2500 |  |  | On Prior<br>appointment         |  |  |
| 614 | ULTRASOUND KUB (FEMALE)                  | 600  |  |  | 0                               |  |  |
| 615 | ULTRASOUND KUB (MALE)                    | 600  |  |  | Full bladder<br>must            |  |  |
| 616 | ULTRASOUND NECK / THYROID                | 700  |  |  |                                 |  |  |
| 617 | ULTRASOUND NUCHAL SCAN (EARLY TIFFA)     | 700  |  |  | 0                               |  |  |
| 618 | ULTRASOUND NUCHAL SCAN (NT SCAN)         | 700  |  |  |                                 |  |  |
| 619 | ULTRASOUND PREGNANCY ROUTINE             | 600  |  |  | Full bladder for<br>scan upto 3 |  |  |
| 620 | ULTRASOUND SCAN ABDOMEN (FEMALE)         | 600  |  |  | 0                               |  |  |
| 621 | ULTRASOUND SCANNING PELVIS               | 600  |  |  | Full bladder<br>must            |  |  |
| 622 | ULTRASOUND SCROTAL SCAN                  | 900  |  |  | 0                               |  |  |

|     |   |      |              |       |                         |          |   |
|-----|---|------|--------------|-------|-------------------------|----------|---|
| 623 | ULTRASOUND SHOULDER                       | 700  |              |       |                         |          |   |
| 624 | ULTRASOUND SOFT TISSUE                    | 700  |              |       |                         |          |   |
| 625 | ULTRASOUND THERAPEUTIC ASPIRATION         | 1600 |              |       | On Prior<br>appointment |          |   |
| 626 | ULTRASOUND THORAX                         | 600  |              |       |                         |          |   |
| 627 | ULTRASOUND TIFFA                          | 1000 |              |       | 0                       |          |   |
| 628 | ULTRASOUND TIFFA (TWINS)                  | 1400 |              |       |                         |          |   |
| 629 | ULTRASOUND -TRANS VAGINAL SCAN<br>(TVS)   | 700  |              |       | 0                       |          |   |
| 630 | ULTRASOUND TRANSRECTAL                    | 700  |              |       |                         |          |   |
| 631 | ULTRASOUND TWIN FETAL ECHO                | 1500 |              |       |                         |          |   |
| 632 | ULTRASOUND TWIN ROUTINE                   | 900  |              |       |                         |          |   |
| 633 | UREA                                      | 140  | bio-chemical | Serum | cut.off 9 pm            | 6 hours  |   |
| 634 | URIC ACID                                 | 175  | bio-chemical | Serum | cut.off 9 pm            | 6 hours  |   |
| 635 | URIC ACID - FLUID                         | 175  | BIOCHEMICAL  | FLUID | cut.off 9 pm            | 6 HOURS  |   |
| 636 | URINARY PROTIENS ( 24 HOURS )             | 200  | bio-chemical | Urine | cut.off 9 pm            | 6 hours  | Add 5ml of 10 % Thymol to<br>the urine container before |
| 637 | URINE CULTURE AUTOMATED (V TEK<br>METHOD) | 800  | Microbiology | Urine | cut.off 9 pm            | 48 hours | Collect mid stream Urine                                |
| 638 | URINE FOR ALBUMIN (QUALITATIVE)           | 50   | manual/strip | Urine | cut.off 9 pm            | 6 hours  |   |
| 639 | URINE FOR CULTURE & SENSITIVITY           | 300  | Microbiology | Urine | cut.off 9 pm            | 48 hours | Collect mid stream Urine                                |

|     |  |      |                 |              |               |              |  |
|-----|--|------|-----------------|--------------|---------------|--------------|--|
| 640 | URINE FOR HAEMATURIA                         | 50   | manual/strip    | Urine        | cut.off 9 pm  | 6 hours      |  |
| 641 | URINE FOR KETONE BODIES                      | 100  | Dipstick/manual | Urine        | cut.off 9 pm  | 6 hours      |  |
| 642 | URINE FOR MPS (Mucopolysaccharidosis screen) | 800  | Biochemical     | Spot Urine   | Cut off 10 am | After 2 days |  |
| 643 | URINE FOR NITRITE                            | 100  | Strip           | Urine        | Cut off 9 pm  | 6 hours      |  |
| 644 | URINE FOR PH                                 | 50   | Strip           | Urine        | Cut off 9 pm  | 6 hours      |  |
| 645 | URINE FOR SPECIFIC GRAVITY                   | 50   | Strip           | Urine        | Cut off 9 pm  | 6 hours      |  |
| 646 | URINE FOR SUGAR                              | 30   | strip/Benedicts | Urine        | Cut off 9 pm  | 6 hours      |  |
| 647 | UROBILINOGEN                                 | 150  | manual/strip    | Urine        | Cut off 9 pm  | 6 hours      |  |
| 648 | USG ABDOMEN (CHILD)                          | 600  |                 |              |               |              |  |
| 649 | V M A ( SPOT URINE )                         | 400  | bio-chemical    | Spot Urine   | cut.off 9 pm  | 6 hours      |  |
| 650 | VAGINAL SWAB FOR CULTURE & SENSITIVITY       | 300  | Microbiology    | Vaginal Swab | cut.off 9 pm  | 48 hours     |  |
| 651 | VALPROIC ACID (SODIUM VALPROATE)             | 800  | C L I A         | Serum        | Cut off 9 pm  | 6 hours      |  |
| 652 | VARICELLA - IgG                              | 1800 | E I A           | Serum        | wed 11 am     | After 3 days |  |
| 653 | VARICELLA - IgM                              | 1800 | E I A           | Serum        | wed 11 am     | After 3 days |  |
| 654 | VITAMIN - B12                                | 650  | C L I A         | Serum        | cut.off 9 pm  | 6 hours      |  |
| 655 | VITAMIN D TOTAL 25, OH                       | 1400 | C L I A         | Serum        | Cut off 9 pm  | 6 hours      |  |
| 656 | VITAMIN E (Tocopherol)                       | 6400 | H P L C         | WB-EDTA      | wed 11 am     | After 3 days |  |

|     |   |      |               |            |                |               |  |
|-----|---|------|---------------|------------|----------------|---------------|--|
| 657 | VITAMIN-D 1,25 DIHYDROXY<br>CHOLECALCIFEROL | 1400 |               | Serum      | Cut off 9 pm   | 6 hours       |  |
| 658 | VMA ( 24 HOURS URINE )                      | 3000 | EIA           | Urine      | Mon/Thur 11 am | After 2 days  | Add 5ml of 10 % Thymol to the urine container before |
| 659 | VON WILLEBRAND FACTOR ANTIGEN               | 7000 | E L F A       | Serum      | Cut off 10 am  | After 3 days  |  |
| 660 | WEIL FELIX                                  | 950  | Agglutination | Serum      | Cut off 10 am  | Same day 5 pm |  |
| 661 | WIDAL TEST (SLIDE METHOD)                   | 200  | Slide         | Serum      | CUT OFF 9 PM   | 6 hours       |  |
| 662 | WIDAL TEST (TUBE METHOD)                    | 400  | Tube          | Serum      | CUT OFF 9 PM   | 24 hours      |  |
| 663 | WOUND SWAB FOR CULTURE &<br>SENSITIVITY     | 300  | Microbiology  | Wound Swab | cut.off 9 pm   | 48 hours      |  |
| 664 | X-RAY ABDOMEN ERRECT                        | 210  |               |            |                |               |  |
| 665 | X-RAY ANKLE AP & LATERAL VIEWS              | 410  |               |            |                |               |  |
| 666 | X-RAY ANKLE AP VIEW                         | 260  |               |            |                |               |  |
| 667 | X-RAY ANKLE LATERAL VIEW                    | 210  |               |            |                |               |  |
| 668 | X-RAY ARM AP VIEW                           | 210  |               |            |                |               |  |
| 669 | X-RAY ARM LATERAL VIEW                      | 210  |               |            |                |               |  |
| 670 | X-RAY BOTH ANKLE AP VIEW                    | 210  |               |            |                |               |  |
| 671 | X-RAY BOTH HANDS AP VIEW                    | 410  |               |            |                |               |  |
| 672 | X-RAY BOTH KNEE AP VIEWS                    | 410  |               |            |                |               |  |
| 673 | X-RAY BOTH KNEE JOINTS AP & LAT<br>VIEWS    | 600  |               |            |                |               |  |

|     |   |     |  |  |   |  |  |
|-----|---|-----|--|--|---|--|--|
| 674 | X-RAY BOTH KNEE LATERAL VIEW            | 410 |  |  |   |  |  |
| 675 | X-RAY BOTH MASTOIDS LATERAL VIEWS       | 410 |  |  |   |  |  |
| 676 | X-RAY BOTH MASTOIDS OBLIQUE VIEW        | 410 |  |  |   |  |  |
| 677 | X-RAY BOTH WRIST AP VIEW                | 260 |  |  | 1 |  |  |
| 678 | X-RAY CALCINIUM AXIL & LATERAL VIEW     | 410 |  |  |   |  |  |
| 679 | X-RAY CERVICAL SPINE AP & LATERAL VIEWS | 410 |  |  |   |  |  |
| 680 | X-RAY CERVICAL SPINE AP VIEW            | 210 |  |  |   |  |  |
| 681 | X-RAY CERVICAL SPINE LATERAL VIEW       | 210 |  |  |   |  |  |
| 682 | X-RAY CERVICAL SPINE OBLIQUE VIEW       | 210 |  |  |   |  |  |
| 683 | X-RAY CHEST LATERAL VIEW                | 210 |  |  |   |  |  |
| 684 | X-RAY CHEST AP VIEW                     | 210 |  |  |   |  |  |
| 685 | X-RAY CHEST OBLIQUE VIEW                | 210 |  |  |   |  |  |
| 686 | X-RAY CHEST PA VIEW                     | 210 |  |  |   |  |  |
| 687 | X-RAY COCCYX AP & LATERAL VIEWS         | 410 |  |  |   |  |  |
| 688 | X-RAY COCCYX AP VIEW                    | 210 |  |  |   |  |  |
| 689 | X-RAY COCCYX LATERAL VIEW               | 210 |  |  |   |  |  |
| 690 | X-RAY DORSAL SPINE AP & LATERAL VIEWS   | 410 |  |  |   |  |  |

|     |                                   |     |  |  |  |  |  |
|-----|-----------------------------------|-----|--|--|--|--|--|
| 691 | X-RAY DORSAL SPINE AP VIEW        | 210 |  |  |  |  |  |
| 692 | X-RAY DORSAL SPINE LATERAL VIEW   | 210 |  |  |  |  |  |
| 693 | X-RAY ELBOW AP & LATERAL VIEWS    | 410 |  |  |  |  |  |
| 694 | X-RAY ELBOW AP VIEW               | 210 |  |  |  |  |  |
| 695 | X-RAY ELBOW LATERAL VIEW          | 210 |  |  |  |  |  |
| 696 | X-RAY FOOT AP & LATERAL VIEWS     | 410 |  |  |  |  |  |
| 697 | X-RAY FOOT AP VIEW                | 210 |  |  |  |  |  |
| 698 | X-RAY FOOT LATERAL VIEW           | 210 |  |  |  |  |  |
| 699 | X-RAY FORE ARM AP & LATERAL VIEWS | 410 |  |  |  |  |  |
| 700 | X-RAY FORE ARM AP VIEW            | 210 |  |  |  |  |  |
| 701 | X-RAY FORE ARM LATERAL VIEW       | 210 |  |  |  |  |  |
| 702 | X-RAY HAND AP & LATERAL VIEWS     | 410 |  |  |  |  |  |
| 703 | X-RAY HAND AP VIEW                | 210 |  |  |  |  |  |
| 704 | X-RAY HAND LATERAL VIEW           | 410 |  |  |  |  |  |
| 705 | X-RAY HAND OBLIQUE VIEW           | 210 |  |  |  |  |  |
| 706 | X-RAY IVP REPORTING               | 210 |  |  |  |  |  |
| 707 | X-RAY KNEE AP & LATERAL VIEWS     | 410 |  |  |  |  |  |

|     |                                       |     |  |  |  |  |  |
|-----|---------------------------------------|-----|--|--|--|--|--|
| 708 | X-RAY KNEE AP VIEW                    | 210 |  |  |  |  |  |
| 709 | X-RAY KNEE LATERAL VIEW               | 210 |  |  |  |  |  |
| 710 | X-RAY KUB                             | 210 |  |  |  |  |  |
| 711 | X-RAY LEG AP & LATERAL VIEWS          | 410 |  |  |  |  |  |
| 712 | X-RAY LEG AP VIEW                     | 210 |  |  |  |  |  |
| 713 | X-RAY LEG LATERAL VIEW                | 210 |  |  |  |  |  |
| 714 | X-RAY LOWER LIMB AP & LATERAL VIEW    | 410 |  |  |  |  |  |
| 715 | X-RAY LUMBAR SPINE AP & LATERAL VIEWS | 410 |  |  |  |  |  |
| 716 | X-RAY LUMBAR SPINE AP VIEW            | 210 |  |  |  |  |  |
| 717 | X-RAY LUMBAR SPINE LATEREAL VIEW      | 210 |  |  |  |  |  |
| 718 | X-RAY LUMBAR SPINE OBLIQUE VIEW       | 210 |  |  |  |  |  |
| 719 | X-RAY MANDIBLE                        | 210 |  |  |  |  |  |
| 720 | X-RAY MASTOIDS LATERAL VIEW           | 210 |  |  |  |  |  |
| 721 | X-RAY NASAL BONE AP VIEW              | 210 |  |  |  |  |  |
| 722 | X-RAY NASAL BONE LATERAL VIEW         | 210 |  |  |  |  |  |
| 723 | X-RAY NASOPHARYNX AP VIEW             | 210 |  |  |  |  |  |
| 724 | X-RAY NASOPHARYNX LATERAL VIEW        | 210 |  |  |  |  |  |

|     |  |     |  |  |  |  |  |
|-----|--|-----|--|--|--|--|--|
| 725 | X-RAY NECK (SOFT TISSUES) LATERAL VIEW | 210 |  |  |  |  |  |
| 726 | X-RAY NECK AP VIEW                     | 210 |  |  |  |  |  |
| 727 | X-RAY ORBIT AP & LATERAL VIEWS         | 410 |  |  |  |  |  |
| 728 | X-RAY ORBIT AP VIEW                    | 210 |  |  |  |  |  |
| 729 | X-RAY ORBIT LATERAL VIEW               | 210 |  |  |  |  |  |
| 730 | X-RAY PATELLA SKYLINE VIEW             | 210 |  |  |  |  |  |
| 731 | X-RAY PATELLA SKYLINE VIEW DOUBLE KNEE | 410 |  |  |  |  |  |
| 732 | X-RAY PATELLA SKYLINE VIEW SINGLE KNEE | 210 |  |  |  |  |  |
| 733 | X-RAY PELVIS WITH HIP AP VIEW          | 210 |  |  |  |  |  |
| 734 | X-RAY PELVIS WITH HIP LATERAL VIEW     | 210 |  |  |  |  |  |
| 735 | X-RAY PNS                              | 210 |  |  |  |  |  |
| 736 | X-RAY REPORTING ( EACH FILM)           | 30  |  |  |  |  |  |
| 737 | X-RAY SACRUM AP & LATERAL VIEWS        | 410 |  |  |  |  |  |
| 738 | X-RAY SACRUM AP VIEW                   | 210 |  |  |  |  |  |
| 739 | X-RAY SACRUM LATERAL VIEW              | 210 |  |  |  |  |  |
| 740 | X-RAY SHOULDER AP & LATERAL VIEWS      | 410 |  |  |  |  |  |
| 741 | X-RAY SHOULDER AP VIEW                 | 210 |  |  |  |  |  |

|     |                                    |      |  |  |  |  |  |
|-----|------------------------------------|------|--|--|--|--|--|
| 742 | X-RAY SHOULDER LATERAL VIEW        | 410  |  |  |  |  |  |
| 743 | X-RAY SI JOINTS AP & LATERAL VIEWS | 210  |  |  |  |  |  |
| 744 | X-RAY SI JOINTS AP VIEW            | 210  |  |  |  |  |  |
| 745 | X-RAY SI JOINTS LATERAL VIEW       | 210  |  |  |  |  |  |
| 746 | X-RAY SIALOGRAM                    | 600  |  |  |  |  |  |
| 747 | X-RAY SINOGRAM                     | 1000 |  |  |  |  |  |
| 748 | X-RAY SKULL AP & LATERAL VIEWS     | 410  |  |  |  |  |  |
| 749 | X-RAY SKULL AP VIEW                | 210  |  |  |  |  |  |
| 750 | X-RAY SKULL LATERAL VIEW           | 210  |  |  |  |  |  |
| 751 | X-RAY SKULL OBLIQUE VIEW           | 210  |  |  |  |  |  |
| 752 | X-RAY STERNUM AP VIEW              | 210  |  |  |  |  |  |
| 753 | X-RAY STERNUM LATERAL VIEW         | 210  |  |  |  |  |  |
| 754 | X-RAY STERNUM OBLIQUE VIEW         | 210  |  |  |  |  |  |
| 755 | X-RAY THIGH AP VIEW                | 210  |  |  |  |  |  |
| 756 | X-RAY THIGH LATERAL VIEW           | 210  |  |  |  |  |  |
| 757 | X-RAY TOWNS VIEW                   | 210  |  |  |  |  |  |
| 758 | X-RAY T-TUBE CHOLANGIOGRAM         | 1050 |  |  |  |  |  |

|     |                                |             |                   |       |               |              |  |
|-----|--------------------------------|-------------|-------------------|-------|---------------|--------------|--|
| 759 | X-RAY WRIST AP & LATERAL VIEWS | <b>410</b>  |                   |       |               |              |  |
| 760 | X-RAY WRIST AP VIEW            | <b>210</b>  |                   |       |               |              |  |
| 761 | X-RAY WRIST LATERAL VIEW       | <b>210</b>  |                   |       |               |              |  |
| 762 | ZINC                           | <b>2500</b> | atomic absorption | Serum | Wed/sat 11 am | After 3 days |  |